



No. 15.
S. R., T. & T.

M. 49

Sender's Initials.

207

1

227

PT.

7 JUL 1977

10000 SEPT.
E O R.

28 JUL 1977

10000

Digitized by



**ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL**
www.apti.org

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

SANITARY APPLIANCES

CATALOGUE "C"
SECOND EDITION
June, 1927



Adamsez Ltd

Head Office & Fireclay Works
SCOTSWOOD-ON-TYNE

Managing Director: M. J. ADAMS

Telegrams: "Sanifera, Scotswood."
Scotswood 'Phone: Lemington 85 and 86
Code: A.B.C. 5th and 6th Editions

LONDON SHOWROOMS: ADAMS HOUSE, 23 OLD QUEEN STREET
WESTMINSTER, LONDON, S.W.1
Telegrams: "Sanifera, Parl, London." Telephone: London, Victoria 4735
MANCHESTER SHOWROOM: 1 NORTH PARADE, via DEANS GATE
Telephone: Central 5331
NEWCASTLE SHOWROOM: CROSS HOUSE, WESTGATE ROAD
Telephone: Central 2224
LEEDS: Telephone — Headingley 52468
and at GLASGOW, BRISTOL, BIRMINGHAM,
BELFAST

“ADAMESK” FIRECLAY

THE “Adamesk” Fireclay is manufactured from material drawn from our own mines, direct into our yards.

The clay is of a hard, tenacious character and the special manufacturing processes, together with the prolonged firing at a temperature of over 1,200° C., give great durability to the ware.

The fuzed enamelled surface becomes an integral part of the clay body; it cannot craze nor peel off, is of exceptional brilliance and hardness, and is free from lead and other deleterious material.

Fireclay is the only ceramic material suitable for large pieces, such as baths, urinals and sinks, whilst lavatories, closets, and other small pieces are stronger and more handsome than when made in earthenware.

The attractive appearance of “Adamesk” Fireclay is retained through years of hard wear, and amply compensates for the slight extra initial cost over earthenware, cast iron, slate or marble.



CONDITIONS OF SALE

- Orders.** Orders are accepted and promises of delivery given subject to any delays arising through strikes, accidents, or other causes beyond our control, and are considered firm unless we agree to accept cancellation.
- Countermands.** We reserve the right to refuse countermands, which cannot be accepted in the case of goods ready for despatch, or special goods in process of manufacture.
- Illustrations.** Appliances may be improved and modified from time to time so that absolute conformity with the illustrations is not guaranteed.
- Measurements.** All the sizes in this catalogue are approximate only.
- Defects.** Complaints must be made immediately on delivery, otherwise these cannot be entertained. Our guarantee is limited to replacing articles which prove defective, and no allowance will be made for labour, or any consequential expenses incurred.
- Returns.** Goods returned without our written permission will be refused, and will remain with carriers at sender's risk and expense.
- Delivery.** We pay carriage to nearest railway station or f.o.b. on orders of £10 gross value and upwards.
- Cases, Packing, etc.** These are all charged for, but we allow for them in full when returned in good condition, **carriage paid**, to our works. The straw must always be returned or we cannot give full credit.
- Damage in Transit and Shortages.** Unless immediately advised of any damage or shortage, we cannot accept responsibility, as the railway companies will not, under any circumstances, recognise claims unless notified within three days after delivery. To protect themselves, customers should also report any damage, etc., to carriers at destination.

ALPHABETICAL INDEX

	Page
"Alps" Urinal ...	81
Angular Lavatory ...	27
"Apex" Closet ...	57
"Apex" Bedpan Jet ...	90
Asylum Closet ...	64
Automatic Tanks ...	106
"Bay" Lavatory ...	11, 27
Baths, Fireclay ...	98-99
" Iron ...	100-103
"Bedford" Urinal ...	87
Bedpan Washers ...	88-91
"Belfast" Sink... ..	95
Bidet	99
Brook Lavatory ...	24
"Carlton" Lavatory ...	10
"Cheviot" Urinal ...	79
Child's Bath ...	103
Chimney Pot ...	112
"Cleanos" Closet ...	68
Closets ...	46-75
" Low-down ...	62-65
" Ranges ...	71-75
"Club" Lavatory ...	25
Code Lavatory ...	26, 31, 35
"Corbel" Closets ...	60-61
"Corinth" Lavatory ...	12
"Cotswold" Urinal ...	84
"Cresset" Closet ...	62
"Delphic" Dressing Table ...	26
Disconnecting Trap ...	112
Divisions... ..	70-73
"Doulos" Urinal ...	83
Drinking Fountain ...	42-43

	Page
E arth Closets	107
"Economic" Closet ...	58
"Epic" Trough Feed ...	70-72
"Eton" Cistern ...	54
"Fire Brigade" Closet ...	68
Foot Baths	104
Foot Action Valves ...	88
Fountains (Drinking) ...	42, 43
G rease Traps	112
"Helios" Sink	95
Hospital Fittings ...	39-41, 88, 91
Hygeist Fountains ...	42, 43
"Insert" Closet	59
Island Lavatories ...	33-37
"Krator" Chimney Pot ...	112
"Krator" Sink	95
"Krator" Supports ...	95
L aboratory Sinks ...	97
Latrines	73-75
Lavatories, Hospital ...	39-41
" Ranges ...	28-38
" Single ...	8-27
" Trough ...	36-38
"London" Sink	95
"Loch" Lavatory ...	17, 23
Low-down Closets ...	62-65
M ixing Valve	105
Mortuary Table	89

ALPHABETICAL INDEX

Continued.

	Page
Native Slabs	69
" Oponwa " Closet	50-54
" Lavatories	32, 33
" Oval " Lavatory	8
" Pool " W.C.	66
" Peak " Urinals	78
" Pennine " Urinals	80
Post-mortem Table	89
" Regent " Bath	100, 101
" R.T." Closet Pan	55
Sewage Purification	108
Shampoo Fitting	10, 44
" Shieldo " Closet	47
" Shieldo " Lavatory	13-20, 22
Short-projection Closet	67
Showers	104-105
Single Urinals	86
Sinks	91-97
Sitz Bath	99
Slab Urinal	85
Slop Sinks	91

	Page
School Board W.C.	67
" Seal " W.C.	67
" Slop Top " Closet	66
" Spa " Double Lavatory	7
Surgeons' Lavatories	39-41
Swivel Closet	67, 68
Tanks	106
" Tarn " Lavatory	13-16
Taps	44
Toilet Table	26
Towel Rail	45
Traps	112
Trough Closets	75
Trough Lavatories	36-38
" Tyne " Lavatory	25, 28, 29
Urinals	76-87
Urinette	87
" Vestal " Closet	56
" Vestal " Taps	44
" Warwick " Lavatory	9
Wash Tubs	97

NUMBER INDEX

is omitted, as all appliances are arranged in numerical order.



ALL types of lavatories are manufactured by us in strong white enamelled "Adamesk" fireclay.

"Adamesk" fireclay lavatories form a class by themselves for cleanliness, colour brilliancy, durability, etc.

The photograph is of Queen Mary's Nurses' Home, St. Bartholomew's Hospital, London, E.C. Architect: H. Edmund Mathews, Esq., F.R.I.B.A., Dowgate Hill, London, E.C. The "Epic" trough with "Shieldo Corbel" closet, as shown on page 72, is installed here, also

the C.23 "Shieldo" Lavatory as a shampoo basin and "Tarn" basin.

The "Shieldo" lavatories, with the raised anti-splash front (exclusively made by us), do much to prevent splashing the user, and on this account are being largely adapted for bedroom lavatories.

There are many new types of lavatories, notably the "Tarn," "Loch," and "Bay," suitable for high-class domestic work.

The "Tyne" and "Code" lavatory ranges have the improved arrangement of taps at side, which are out of the way of user's head, and large soaps giving ample room for toilet accessories.



Fig. C.2

Adamsez **Fig. C.2 "Spa" Double Lavatory**, on two legs, made in one piece of pure white glazed "Adamesk" fireclay ware, fitted with nickel-plated hot and cold $\frac{1}{2}$ " cone covered taps, nickel-plated concealed standing waste and overflow, with union and "P" traps.

Overall size ... 54" x 23" Basin size ... 19" x 13"

Mirrors, Glass Shelves, Towel Rails, Soap and Tumbler Holders extra.



Fig. C.4

Adamsez **Fig. C.4 "Oval" Lavatory**, with pedestal made in pure white glazed "Adamesk" fireclay ware, fitted with nickel-plated hot and cold $\frac{1}{2}$ " cone covered taps, nickel-plated concealed standing waste and overflow with union and "P" trap.

Large size overall	...	36" x 24"	Basin size	21" x 14"
Small	..	30" x 20"	" "	20" x 12"

Mirrors, Glass Shelves, Towel Rails, Soap and Tumbler Holders extra.



Fig. C.5

Adamsez **Fig. C.5 "Warwick" Lavatory**, with pedestal made in pure white glazed "Adamesk" fireclay ware, fitted with white ware patent $\frac{1}{2}$ " hot and cold "Vestal" taps, nickel-plated chain, stay, plug and union.

Large size Overall ...	36" x 24"	Basin size ...	21" x 14"
Small " " ...	30" x 20"	" " ...	20" x 12"

Adamsez "Vestal" taps have a white porcelain enamelled iron cover over a substantial gun-metal interior—hygienic and labour saving.

*London Showrooms, Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig. C.9

Adamsez Fig. C.9 "Carlton" Lavatory, on two legs, made in pure white glazed "Adamesk" fireclay ware, fitted with nickel-plated hot and cold $\frac{1}{2}$ " cone covered taps, nickel-plated concealed standing waste and overflow, with union and trap.

Large size overall ...	36" x 24"	Basin size ...	21" x 14"
Small " " ...	30" x 20"	" " ...	20" x 13"

The Shampoo Fitting shown is supplied by a simple type of mixing valve. This fitting is designed so that cold water must be turned on first, thus obviating the possibility of scalding. It blends the water to any desired temperature.



Fig. C.11

Adamsez **Fig. C.11 "Bay" Lavatory**, with leg, made in pure white glazed "Adamesk" fireclay ware, fitted with white porcelain enamelled iron hot and cold taps, nickel-plated plug, chain and waste fitting.

Overall size, 25" across \times 23" projection. Basin size 19" \times 16"

The "Bay" lavatory is very suitable for bedrooms. The long soaps at back give ample room for toilet accessories. The bowl is large and deep, and side taps are out of the way of user's head when shampooing.

The glass skirting and corner cupboard are not included in our price.

*London Showrooms, Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig. C.13

Adamsez **Fig. C.13** "Corinth" Lavatory, made in pure white glazed "Adamesk" fireclay ware, fitted with $\frac{1}{2}$ " patent "Vestal" hot and cold taps, nickel-plated plug chain, stay, seating union and trap, white fireclay brackets, iron reinforced.

Overall size ... 30" x 22" Basin size ... 20" x 13"

The brackets shown above are made in heavy fireclay, white glazed, with iron reinforcement.



Fig. C.15

Adamsez **Fig. C.15 "Tarn" Lavatory**, made in pure white "Adamesk" ware, fitted with white porcelain enamelled iron $\frac{1}{2}$ " hot and cold taps, nickel-plated plug, chain and waste-fitting, white porcelain enamelled iron towel rail brackets, with projecting arm as illustrated. (Trap extra—Vitrolite skirting with shelf and brackets extra.)

Overall size	...	25" x 19"	Basin size	23" x 13"
--------------	-----	-----------	------------	-----	-----	-----------

The "Tarn" Lavatory has a raised "Shieldo" front, and high sides to prevent splashing. Long soaps at back give ample room for toilet accessories. The bowl is deep, and the full width of lavatory. White porcelain enamelled taps fixed at the side are cleanly and out of the way of the user's head.

*London Showrooms: Adams
House 23 Old Queen St. SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig. C.17

Adamsez **Fig. C.17 "Tarn" Lavatory Suite**, with leg made in pure white glazed "Adamesk" fireclay ware, overall size 25" x 19", fitted with white porcelain enamelled iron $\frac{1}{2}$ " hot and cold taps, nickel-plated plug, chain and waste-fitting.

The "Tarn" lavatory is particularly suitable for bedrooms. It has the raised "Shieldo" front and high sides preventing splashing. The long soaps at back give ample room for toilet accessories; the bowl is deep and the full width of lavatory.



Fig. C.19.

Adamsez **Fig. C.19 "Tarn" Lavatory**, made in pure white glazed "Adamesk" fireclay ware, overall size 25" x 19", with raised anti-splash front fitted with white porcelain enamelled iron $\frac{1}{2}$ " hot and cold screw-down taps, nickel-plated plug and chain, waste fitting (no trap), supported on solid glass rods, white metal floor flange. The solid glass rod legs require practically no attention, always looking clean and bright.

Solid glass rod legs, requiring a minimum of cleaning.



Fig. C.21.

Adamsez Fig. C.21 "Tarn" Lavatory Suite, made in pure white glazed "Adamesk" fireclay ware, overall size 25" x 19", fitted with white porcelain enamelled iron $\frac{1}{2}$ " hot and cold taps, nickel-plated plug, chain, and waste-fitting (no trap), supported on enamelled iron legs and clips to wall (Vitrolite skirting extra).

The "Tarn" Lavatory has the raised "Shieldo" front, and high sides preventing splashing. The long soaps at back give ample room for toilet accessories; the bowl is deep and the full width of lavatory. White porcelain enamelled taps fixed at the side are cleanly and out of the way when shampooing.



Fig C.23

Adamsez **Fig. C.23 "Loch" Lavatory**, with leg, made in pure white glazed "Adamesk" fireclay ware, fitted with $\frac{1}{2}$ " hot and cold white porcelain enamelled iron taps, nickel-plated plug, chain and waste fitting.

Overall size 27" x 19" Basin size 20" x 13"

The "Loch" lavatory is a handsome modern type, with large soaps and side taps. The shelves at side are useful for toilet accessories. Can also be supplied supported on glass rod legs, or porcelain enamelled iron legs.

*London Showrooms: Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig. C.24

Adamsez **Fig. C.24 "Shieldo" Lavatory**, with anti-splash front, made in pure white "Adamesk" fireclay ware, supported on white enameled cast-iron legs, with wall flange, gun-metal $\frac{1}{2}$ " hot and cold cone taps, plug, chain, union (no trap).

Large size overall ...	27" x 19"	Basin size	22" x 16"
Small " " ...	22" x 18"	" "	18" x 12½"

Mirrors, Glass Shelves, Towel Rails, Soap and Tumbler Holders extra.

*London Showrooms: Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig C.25.

Adamsez Fig. C.25 "Shieldo" Lavatory, with anti-splash front, made in pure white glazed "Adamesk" fireclay ware, supported on solid glass rod legs with white metal flanges, nickel-plated $\frac{1}{2}$ " hot and cold cone taps, plug, chain, union (no trap).

Large size overall ...	27" x 19"	Basin size ...	22" x 16"
Small " " ...	22" x 18"	" " ...	18" x 12 $\frac{1}{2}$ "

Solid glass rod legs, requiring a minimum of cleaning.

*London Showrooms, Adams
House 23 Old Queen St. SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig. C.32

Adamsez Fig. C.32 "Shieldo" Lavatory, with leg support, made in pure white glazed "Adamesk" fireclay ware, gun-metal hot and cold $\frac{1}{2}$ " cone covered taps, plug, chain, stay, seating, union, and trap.

Overall size ... 30" x 22" Basin size ... 22" x 16"

Adams' patent "Shieldo" lavatory has the curl-over raised front, which effectively prevents splashing.



Fig. C.36

Adamsez Fig. C.36 "Code" Lavatory, made in pure white glazed "Adamesk" fireclay ware, supported on white glazed fireclay leg, with wall clips, fitted with nickel-plated hot and cold $\frac{1}{2}$ " cone covered taps, nickel-plated plug chain and stay, with union.

Large size overall	...	24" x 18"	Basin size	18" x 13"
Small " "	...	22" x 18"	" "	16" x 12"

Mirrors, Glass Shelves, Towel Rails, Soap and Tumbler Holders extra.



Fig. C.55

Adamsez Fig. C.55 "Shieldo" Lavatory, with anti-splash front, in pure white glazed "Adamesk" fireclay. (No fittings included.)

Size overall ...	27" x 19"	Basin size ...	21" x 12½"
" " ...	22" x 18"	" " ...	18" x 12"



Fig. C.58

Adamsez Fig. C.58 "Shieldo" Lavatory, with anti-splash front, in pure white glazed "Adamesk" fireclay. (No fittings included.)

Overall size ...	30" x 22"	Basin size ...	22" x 16"
" " ...	24" x 18"	" " ...	18" x 12½"

Adams' patent "Shie'do" lavatory has the curl-over raised front, which effectively prevents splashing.




Fig. C.59

Adamsez **Fig. C.59 "Loch" Lavatory**, a handsome modern type, with anti-splash front and shelves at side. (No fittings included.)

Overall size ... 27" x 19" Basin size ... 20" x 13"



Fig. C.62

Adamsez **Fig. C.62 Lavatory**, with "Shieldo" anti-splash front, made in pure white glazed "Adamesk" fireclay. (No fittings included.) This lavatory has a very slight projection of 13", which makes it particularly suitable for small bathrooms, etc.

Overall size ... 26" x 13" Basin size ... 16" x 11"

Adams' patent "Shieldo" lavatory has the curl-over raised front, which effectively prevents splashing.



Fig. C.66

Adamsez Fig. C.66 "Marlborough" Lavatory, with loose 9" combined skirting and shelf in pure white glazed "Adamesk" fireclay. (No fittings included.)

Adamsez Fig. C.64 Lavatory, as above, but no skirting and shelf.

Overall size	27" x 19"	Basin size	19" x 12"
" "	24" x 18"	" "	19" x 12"



Fig. C.69

Adamsez Fig. C.69 "Brook" Lavatory, with back and side skirtings, and combined weir overflow, made in pure white glazed "Adamesk" fireclay. (No fittings included.)

Overall size	22" x 16"	Basin size	18" x 12"
------------------	-----	-----------	----------------	-----	-----------




Fig. C.72

Adamsez Fig. C.72 "Tyne" Lavatory, in pure white glazed "Adamesk" fireclay. (No fittings or brackets included.)

Overall size ... 24" x 18" Basin size ... 19" x 12"



Fig. C.74

Adamsez Fig. C.74 "Club" Lavatory, in pure white glazed "Adamesk" fireclay. (No fittings included.)

Overall size ... 24" x 18" Basin size ... 19" x 13"



Fig. C.75

Adamsez **Fig. C.75 "Code" Lavatory**, in pure white glazed "Adamesk" fireclay, with back skirting and self-contained weir overflow (no fittings).

Overall size	18" × 14"	Basin size	14" × 11"
"	"	...	20" × 16"	"	"	...	15" × 12"
"	"	...	22" × 18"	"	"	...	16" × 12"
"	"	...	24" × 18"	"	"	...	18" × 13"



Fig. C.77

Adamsez **Fig. C.77 "Delphic" Toilet Table**, in pure white glazed "Adamesk" fireclay. (No fittings included.) Overall size, 27" × 19".



Fig. C.79

Adamsez Fig. 79 The "Bay" Angular Lavatory, in pure white glazed "Adamesk" fireclay, with skirting and combined weir overflow. (No fittings included.)

Size across ... 25" Projection ... 23" Basin size ... 19" x 16"



Fig. C.80

Adamsez Fig. C.80 Angular Lavatory, in pure white glazed "Adamesk" fireclay, with skirting and combined weir overflow. (No fittings included.)

Size across ... 27" Projection ... 20" Basin size ... 16" x 12"
 ,, ... 24" ,, ... 18" ,, ... 15" x 12"




Fig. C.108

Adamsez Fig. C.108 "Tyne" Lavatory Range, made in pure white glazed "Adamesk" fireclay ware, supported upon porcelain enamelled cast-iron legs, with wrought-iron frame to wall, 3" back and end skirtings, and overlap joint, weir overflow, $\frac{1}{2}$ " hot and cold cone covered heavy gun-metal taps, vulcanite plug, brass chain and stay, seating and union, painted cast-iron horizontal waste pipes, trap and hangers.

Overall size	21" x 18"	Basin size	15" x 12"
" "	24" x 18"	" "	19" x 12"
" "	27" x 19"	" "	19" x 12"




Fig. C.112

Adamsez **Fig. C.112 "Tyne" Lavatory Range**, made in pure white glazed "Adamesk" fireclay, supported on white glazed corbel brackets for building into wall, with 3" back and end skirtings and overlap joint, weir overflow, $\frac{1}{2}$ " hot and cold cone covered heavy gun-metal taps, vulcanite plug, brass chain, stay seating and union, painted iron vertical waste pipes, and white fireclay 6" black floor channel, brass dome grate and brown glazed trap.

Overall size	21" x 18"	Basin size	15" x 12"
" "	...	24" x 18"	" "	...	19" x 12"
" "	...	27" x 19"	" "	...	19" x 12"



Fig. C.117

Adamsez **Fig. C.117 "Code" Lavatories** are glazed on both ends and may be spaced apart or placed together as shown. Made in pure white glazed "Adamesk" fireclay, supported on fireclay lugs for building into wall, with back skirting and combined overflow, $\frac{1}{2}$ " H. and C. cone covered gun-metal taps, vulcanite plug, chain, stay, seating and union, painted iron vertical waste pipe, white glazed fireclay block floor channel, 6" inside section, with stop ends and outlet, brass dome grate and brown glazed earthenware trap complete.

Overall size	16" × 14"	Basin size	12" × 10"
" "	18" × 14"	" "	14" × 11"
" "	20" × 16"	" "	15" × 12"
" "	21" × 17"	" "	16" × 12"
" "	22" × 18"	" "	16" × 12"
" "	24" × 18"	" "	18" × 13"





Fig. C.118

Adamsez **Fig. C.118 "Code" Lavatories** are glazed on both ends, and may be spaced apart or placed together as desired. Made in pure white glazed "Adamesk" fireclay, supported on painted cast-iron solid web brackets, and with screw holes in back skirting, combined grid overflow, $\frac{1}{2}$ " H. and C. cone covered gun-metal taps, vulcanite plug, brass chain, stay, seating, and union, painted cast-iron horizontal waste pipes and hangers complete (front leg not included). Sizes as page 30.



Section shows painted cast-iron front leg and waste pipe support.




Fig. C.122

The "Oponwa" Lavatories are very accessible for cleaning, owing to the large overflow directly over the waste pipe.

Adamsez Fig. C.122 "Oponwa" Lavatories are glazed on both ends and may be spaced apart or placed together as desired. Made in pure white glazed "Adamesk" fireclay, supported on C.I. brackets, with back skirting and large overflow, $\frac{1}{2}$ " hot and cold heavy gun-metal taps, rubber plug, chain, stay, galvd. steel vertical waste pipe, white glazed fireclay block floor channel, 6" inside section, with stop ends and outlet, brass dome grate and brown glazed earthenware trap complete.


Small overall size ...	18" x 16"	Basin size ...	14" x 11"
Large " " ...	21" x 18"	" " ...	16" x 12"



Fig. C.133

These lavatories have a large central discharge pipe 3" diameter made in the fireclay pedestal. The overflow is common to both basins. Side taps, and large wide soaps are features which contribute to the modern appearance of the range.

Adamsez Fig. C.133 Central "Oponwa" Lavatories. Two basins formed in one piece of white glazed "Adamesk" fireclay, fitted with hot and cold cone covered taps, plug, chain and union, supported on white glazed fireclay pedestals, 6" white fireclay block floor channel, with outlet, grate and trap complete.






Fig. C.135

The “**Tyne**” Lavatories with side taps, which are out of the way of the user’s head, are an attractive modern type. When used for central ranges the separate basins with a dividing strip (which can be in marble if desired) give a little more privacy between opposite users.

Adamsez **Fig. C.135 Central “Tyne” Lavatories**, comprising 6 basins arranged back to back (3 each side), with wood strip dividing, made in white glazed “Adamesk” fireclay fitted with hot and cold gunmetal screw-down cone covered taps, plug, chain and union, vertical waste-pipes with breeches piece to connect the two basins, 6’ 0” of 6” white glazed fireclay block floor channel with stop ends, brass domed outlet grating. Supported on white porcelain enamelled cast iron legs with strong frame and strengthening bars.

Overall size	...	21" × 18"	Basin size	15" × 12"
“ ”	...	24" × 18"	“ ”	19" × 12"
“ ”	...	27" × 19"	“ ”	19" × 12"

Adamsez Fig. C.136 Central

"Code" Lavatories, with two basins formed in one piece of white glazed "Adamesk" fireclay fitted with cold tap, plug, chain and union, supported on painted cast-iron standards with tie rods, painted iron vertical waste pipes, 6" white fireclay block floor channel with outlet grate and trap complete.

Overall size ... 32" across

... 22" centres

Basin size ... 16" x 12"

Fig. C.136



Fig. C.137

Adamsez Fig. C.137 Central

"Code" Lavatories, comprising 6 white glazed fireclay lavatory basins arranged back to back, 3 each side, with wood strip dividing, fitted with cold tap, plug, chain and union, supported on painted cast-iron standards with tie rods, painted iron vertical waste pipes, 6" fireclay block floor channel with outlet grating and trap complete.

Sizes as page 30.

*London Showrooms: Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*




Fig. C.142

Adamsez **Fig. C.142 Trough Lavatories** for central position, comprising four single troughs made in white enamelled "Adamesk" fireclay, each 6' long \times 16" wide \times 9" deep, placed back to back, with wood strip to cover joints. Grated outlets and unions to each trough, supported on four painted cast-iron standards with the necessary tie-rods, galvanised iron service pipe and supports, fitted with three screw-down taps with spray rose over each trough, $\frac{3}{4}$ " hot and cold taps with breeches piece, painted iron vertical waste pipes, 6" white fireclay block floor channel, grating and trap.

Troughs also made 5' overall, and fitted with swivel sprays as shown.




Fig. C.145

Adamsez **Fig. C.145 Trough Lavatories** for central position, comprising two lavatory troughs made in white enamelled "Adamesk" fireclay, each 3' 6" long \times 24" wide \times 8½" deep, with soap sinkings and grated outlet with union, supported on three painted cast-iron pedestals, with galvanised iron service pipe and supports; ½" screw-down spray taps.




Fig. C.148

Adamsez **Fig. C.148 Trough Lavatories** for fixing against back wall, comprising one lavatory trough made in white enamelled "Adamesk" fireclay, 5' long \times 16" wide \times 9" deep; grated outlet with union, supported on two painted cast-iron standards, galvanised iron service pipe with clips and two soaps, fitted with three screw-down taps with spray rose, painted iron vertical waste pipe (channel extra).

Extra if trough 6' overall. Polished brass swivel spray taps same price. Extra if $\frac{3}{4}$ " hot and cold taps with breeches piece.

The trough is also made, size 14" \times 7" overall.

Modern conditions emphasise the importance of employees, scholars, etc., washing under a continuous flow of water both from an hygienic and economic standpoint; no time is wasted filling and emptying basins.



Fig. C.184

Adamsez **Fig. C.184 Hospital Lavatory**, in white enamelled fireclay, overall sizes 24" x 22", basin sizes 18" x 12". **C.186**, hot and cold mixing valve, with spray or jet operated by small lever, unions, and flange. **C.180**, knee-action waste, with standing overflow and union, in polished gun-metal. **C.188**, white enamelled cast-iron cantilever brackets.

*London Showrooms: Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig. C.190

Adamsez **Fig. C.190 Hospital Lavatory Sink**, in white enamelled fireclay, overall size 24" × 22", basin size 18" × 16". **C.192**, combined hot and cold supply taps, with quarter-turn levers, hook for standing overflow, unions and wall flanges, in polished gun-metal. **C.194**, standing overflow outlet and union. **C.188**, painted cast-iron cantilever brackets



Fig. C.196

Adamsez **Fig. C.196 Lavatory**, in white enamelled fireclay, overall sizes 32" x 18", basin sizes 19½" x 12". **C.198**, hot and cold foot valves, with connecting pipe to spray in polished gun-metal. **C.180**, knee-action waste, with standing overflow and union in polished gun-metal. **C.200**, white enamelled fireclay cantilever brackets.




Fig. C.202

Adamsez **Fig. C.202 Lavatory**, in white enamelled fireclay, large size 30" x 22", basin size 22" x 16"; small size 24" x 19", basin size 18" x 12½". **C.204**, hot and cold elbow-action spring taps, with connecting pipes to spray, in polished brass. **C.206**, knee-action waste, with plug, in polished gun-metal. **C.208**, Trap, with inspection cap and wall flange. **C.210**, white enamelled cast-iron brackets.

Adamsez "Hygest" Bubbling Jet Fountains eliminate the danger of contamination or spread of disease, and are specially recommended for Schools, Factories, Public Parks, etc. On the pressure of a strong simple self-closing valve, a jet of water 6" high rises to the mouth of the user, and a drinking cup is not required.



Fig. C.225

Adamsez Fig. C.225 "Hygest" Fountain in white enamelled "Adamesk" fireclay, with lug for building into wall, self-closing valve with oblique jet, outlet grate and union. Projection 16". Width of bowl 12".




Fig. C.224

Adamsez Fig. C.224 "Hygest" Fountain, on pedestal, in white enamelled "Adamesk" fireclay; bowl 14" diameter, with supply and waste fittings.



Fig. C.226

Adamsez **Fig. C.226 "Hygest" Fountain**, in white enameled "Adamesk" fireclay; bowl 11" diameter, with lug for building into wall; self-closing valve with jet and union, waste and union.



Fig. C.230

Adamsez **Fig. C.230 Fountain**, in white enameled "Adamesk" fireclay, with lugs for building into wall; bowl 15" diameter, 10" high, with self-closing valve, grated outlet and union, chain and drinking cup.



Fig. C.227

Adamsez **Fig. C.227 Fountain** in white enameled fireclay, special concealed wall clip, patent Berkfeld filter, waste and union. Overall size 21" x 17" x 10".



Fig. C.231

Adamsez **Fig. C.231 Fountain** in white enameled fireclay, special concealed wall clip, self-closing valve, waste and union. Overall size 21" x 17" x 10".

*London Showrooms: Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Fig. C.262
Pillar Tap.



Fig. C.264
Cone Tap.



Fig. C.266
Lever Tap.



Fig. C.268
Spray Tap.



Fig. C.270
Spring Tap.



Fig. C.271
Spring Tap.



Fig. C.272
Non-concussive.



Fig. C.274
Cam-action.




Fig. C.276
Fountain Tap.



Fig. C.278
Wall-face Tap.




Fig. C.280
Shampoo Fitting.



Fig. C.296
Standing Overflow.



Fig. C.302

Adamsez "Vestal" Tap
with white porcelain en-
amelled iron cover over
substantial gun-metal
interior — hygienic and
labour saving.



Fig. C.334 Nickel-plated Towel Rail with opal glass rail.




Fig. C.336. Hot-water Towel Rail.





Fig. C.338. Hot-water Towel Rail.

*London Showrooms, Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



A Modern Convenience for Schools or Factories.

STRONG enamelled fireclay ware is undoubtedly the best material for closet pans. Fixed indoors or outside, the heavy fireclay will withstand climatic changes far better than the light earthenware, and prove cheaper in the end.

Attention is called to our special patented designs, the values of which have been proved over many years.

The "Shieldo" pan, on page 47 ; the "Oponwa" pan, on page 51 ; also the "Epic" flushing trough, on page 70 and 71—these types are invaluable for domestic use, and public work where sanitary fittings seldom receive proper treatment.

HYGIENIC SANITATION. The wood closet seat as commonly used is absorptive, and there is a grave risk of both front and back being soiled and becoming impregnated with deleterious matter ; urine may also pass under the seat at front. The patent "Shieldo" closet removes all risks, because the glazed ware of the closet is carried up at front and back to form a shield or guard, and soiling is instantly shown, so that the seat can be kept scrupulously clean.



Those who have adopted this most perfectly sanitary closet cannot speak too highly of its advantages. The distrust with which a closet seat is generally regarded, particularly in public buildings, conclusively proves the call for the appliance.



Adamsez Fig. C.382

"Vestal Shieldo" Closet
Pan, made in white enamelled heavy fireclay, polished mahogany seat, with brass bolt hinge.

White enamelled fireclay 2-gallon cistern, with rustless syphon, white porcelain enamelled supporting brackets, brass pull with china handle.

Do. do. 3-gallon.

Brass ring guide.

Polished brass or copper flushpipe, 5' 6" long, with clip.

Do. do. nickel-plated.

Extra for nickel-plating chain pull, cistern unions, and seat hinges.

Brass connecting piece extra.




Fig. C.382 "Shieldo" Set. Suitable for best quality domestic and public work



Adamsez Fig. C.384 "Apex
Shieldo" Closet Pan,
made in white enamelled
heavy fireclay, polished
mahogany ring seat, with
brass pillar hinge.

Do. but seat with back
extension, as page 47.

White enamelled fireclay
2-gallon cistern, with rust-
less syphon, painted sup-
porting brackets, brass
chain pull.

Do. do. 3-gallon.

Adams Patent Silencer,
reducing the noise of
cistern discharge.

Galvanised steel flushpipe,
5' 6" long, with clip.




Fig. C.384 "Shieldo" Set. Suitable for best quality domestic and public work.



Adamsez Fig. C.386

"Oponwa Shieldo"

Closet Pan, made in heavy fireclay, white enamelled inside, cane glazed outside, with brass screwed inspection cap, polished hardwood seat, with brass pillar hinges.

Do. but all white pan.

Painted cast-iron 2-gallon cistern, with cover and ears for screwing to wall, galvanised chain pull.

Do. do. 3-gallon.

Galvanised steel flushpipe, 5' 6" long, with clip.

White enamelled fireclay 2-gallon cistern, with rustless syphon, painted iron supporting brackets, brass chain pull.

Do. do. 3-gallon.

Owing to the risk of choking the drains in public work, the inspection eye, giving direct access to drain by unscrewing brass cap, is especially valuable.

Fig. C.386 "Shieldo." AN INVALUABLE CLOSET FOR PUBLIC WORK.




Fig. C.388

THE "OPONWA" W.C.

Adamsez Fig. C.388 "Oponwa" Closet Pan for Institutions and Schools.

The "Oponwa" Inspection Eye is a most important improvement, because it gives a direct opening to the drain on removing the screwed brass cap. Owing to the risk of choking, such an opening is invariably necessary. The outlet at the back of the closet aids the flush and much simplifies the drain connection.

The arrow shows the open-way inspection. The flush comes straight from the flushpipe to the front of closet, and straight back to outlet, so that the force is used to the greatest advantage, whereas in the older type side outlet closets much of the flushing power is lost.





Adamsez Fig. C.388

"Oponwa" Closet Pan, made in heavy fireclay, white enamelled inside, cane glazed outside, brass screwed inspection cap, polished hardwood Insert seat pads.

Do. but all white pan.

White enamelled fireclay 2-gallon cistern, with rustless syphon, painted iron supporting brackets, brass chain and pull.

Do. do. 3 gallon.

Painted cast-iron 2-gallon cistern, with cover and ears for screwing to wall, galvanised pull.

Do. do. 3 gallon.

Galvanised flushpipe, 5' 6" long, complete with clip.




Fig. C.388 "Oponwa" Set. FOR PUBLIC WORK



Adamsez Fig. C.390

"Oponwa" Closet Pan,
made in heavy fireclay,
white enamelled inside,
cane glazed outside, with
brass screwed inspection
cap.

Do. . do. but all white.

Polished hardwood seat,
with brass pillar hinges.

White enamelled fireclay
2-gallon cistern, with rust-
less syphon and painted
iron supporting brackets,
brass chain and pull.

Galvanised flushpipe, 5' 6"
long, complete with clips.




Fig. C.390 "Oponwa" Set. FOR PUBLIC WORK.



Adamsez Fig. C.392 " Oponwa "

Closet Pan, made in heavy fire-clay, white enamelled inside, cane glazed outside, 12" and 14" high for juniors, polished hardwood Insert seat pads, brass screwed inspection cap.

Do. but all white pan.

Painted cast-iron 2-gallon cistern, with cover and ears for screwing to wall, " Eton " pattern, with enclosed pull working through bottom of cistern.

Do. do. 3-gallon.

Galvanised flushpipe, 5' 6" long with clips.

Extra for galvanising or glass enamelling cistern and flush-pipe.

The divisions shown on this and the opposite page are formed of strong highly enamelled fire-clay slabs. These slabs are usually 2' 0" x 4' 3". They are set into a chase in the wall at back, or held with posts and carried in a wood or iron front post on which the doors are also hung. These slabs in buff are the most perfectly sanitary and durable divisions known. for the various designs and prices see other lists.




Fig. C. 392 Set. THE BEST CLOSET FOR SCHOOL USE



Fig. C.394 "R.T." Set

Adamsez Fig. C.394 "R.T."

Closet, Pan, made in heavy fireclay, white enamelled inside, cane glazed outside, 12" and 14" high for juniors, polished hardwood Insert seat pads.

Do. do. but all white pan.

White enamelled fireclay 2-gallon cistern, with rustless syphon, painted iron supporting brackets, brass chain and pull.

Do. do. 3-gallon.


Painted cast-iron 2-gallon cistern, with cover and ears for screwing to wall, galvanised pull.

Do. do. 3-gallon,

Painted iron tube pull guard.

Brass inspection cap.

Galvanised flushpipe, 5' 6" long, complete with clip.



FOR SCHOOL WORK.



Adamsez Fig. C.396 " Vestal "

Closet Pan, made in white enameled heavy fireclay, polished mahogany seat, with brass bolt hinge.

White enameled fireclay 2-gallon cistern, with rustless syphon, painted iron supporting brackets, brass chain and pull.

Do. do. 3-gallon.

Galvanised iron cistern, 2-gallon capacity, with covers and ears for screwing to wall, galvanised chain pull.

Do. do. 3-gallon.

Galvanised steel flushpipe, 5' 6" long, with clip.

Polished brass do. do.

Nickel-plated do. do.

Brass ring guide for pull.

Nickel-plated do. do.

Extra, for nickel-plating seat hinge, chain, pull and cistern unions.




Fig. C.396 Set. SUITABLE FOR GOOD QUALITY DOMESTIC WORK.



Adamsez Fig. C.398 "Apex"

Closet Pan, made in white enamelled heavy fireclay.

Polished hardwood seat, with brass pillar hinges.

Polished mahogany ring seat, with brass pillar hinges.

Do. with back extension.

White enamelled fireclay, 2-gallon cistern with rustless syphon, painted iron supporting brackets, brass chain and pull.

Do. do. but 3-gallon.

Brass ring guide for pull.

Do. do. nickel-plated.

Galvanised steel flushpipe, 5' 6" long, with clip.

Polished brass flushpipe.

Do. do. nickel-plated.

Extra for nickel-plating chain pull, seat hinges, and cistern unions.




Fig. C.398 Set. SUITABLE FOR GOOD QUALITY DOMESTIC WORK.



Adamsez Fig. C.400

"Economic" Closet Pan,
made in heavy fireclay,
white enamelled inside,
and cane glazed outside.

Do. but all white pan.

Polished hardwood ring
seat, with brass pillar
hinges.

Do. with back exten-
sion.

White enamelled fireclay
2-gallon cistern, with rust-
less syphon, painted
supporting brackets, brass
chain pull.

Do. do. 3-gallon.

Painted cast-iron 2-gallon
cistern, with cover and ears
for screwing to wall, gal-
vanised pull.

Do. do. 3-gallon.

Galvanised steel flushpipe,
5' 6" long, with clip.

Extra for galvanising or
glass enamelling cistern.




Fig. C.400 Set. A STRONG, RELIABLE CLOSET for housing and factory work.



Adamsez Fig. C.402
"Insert" Closet Pan,
made in heavy fireclay,
white enamelled inside,
cane glazed outside, with
polished hardwood Insert
seat pads.

Do. but all white pan.

Painted cast-iron 2-gallon
cistern, with cover and ears
for screwing to wall, gal-
vanised pull.

Do. do. 3-gallon.

Extra, for galvanising or
glass enamelling cistern.
Galvanised steel flushpipe,
5' 6" long, with clips.

Extra, for bending flush-
pipe to suit cistern on side
wall.

White enamelled fireclay
2-gallon cistern, with rust-
less syphon, painted iron
supporting brackets, brass
chain pull.

Do. do. 3-gallon.





Fig. C.402 "Insert" Set. For conditions where a full seat is not desirable.



Adamsez Fig. C.406

"Corbel" Closet Pan, supported on lug for building into wall, made in heavy fireclay, white enamelled inside and outside, polished hardwood Insert seat pads.

Adamsez Fig. C.407

White enamelled fireclay 2-gallon cistern, with rustless syphon, fireclay corbel brackets, and painted iron enclosed pull, working through the bottom of cistern.

White porcelain enamelled iron flushpipe, 5' 6" long, with clip.

Do. do. white painted.

Brass connecting piece extra.




Fig. C.406 "Corbel" Closet Set. FOR HOSPITAL AND PUBLIC WORK.



Fig. C.408

Adamsez Fig. C.408 "Corbel"

Closet Pan, supported on lug for building into wall, made in heavy fireclay, white enamelled inside and outside.

Do. with polished hardwood hinged seat, brass hinges.

White enamelled fireclay 2-gallon cistern, with rustless syphon, fireclay corbel brackets, china pull.

Galvanised steel flushpipe, 5' 6" long, with clip.



Fig. C.410

Adamsez Fig. C.410 "Corbel Shieldo"

Closet Pan, with lug, made in heavy fireclay, white enamelled inside and out, raised "Shieldo" guards polished hardwood hinged seat with brass hinges.




Fig. C.410 "Corbel" Closet Set. FOR HOSPITAL AND PUBLIC WORK.



Fig. C.434

Adamsez **Fig. C.430** Low Down Combination Closet Set, comprising "**Apex Cresset**" Urinal lipped Closet Pan, made in white enamelled heavy fireclay, with polished hardwood ring seat, and self-lifting weights.

Fig. C.432 Painted Cast-iron Cistern, with cover and lugs for screwing to wall, lever handle and short flushpipe.

Do. white porcelain enamelled.

Do. glass enamelled.

Adamsez **Fig. C.434** Low Down Combination Closet Set, comprising "**Apex**" Closet Pan made in white enamelled heavy fireclay.

polished hardwood ring seat, with brass pillar hinges.

Fig. C.432 Painted Cast-iron Cistern, with cover and lugs for screwing to wall, lever handle, and short flushpipe.

Do. white porcelain enamelled.

Do. if cistern made in white enamelled "**Adamesk**" fireclay.



Fig. C.430



Fig. C.438

Adamsez **Fig. C.442** Low Down Combination Closet Set, comprising "Apex" Closet Pan, made in white enamelled heavy fireclay.

Polished mahogany ring seat, with brass pillar hinges. Ditto, but seat with back extension and hinged cover.

Fig. C.444 Polished Mahogany Flushing Cistern, with cover, copper lining and rustless syphon fitting, lever handle, white porcelain enamelled iron or brass flushpipe.

Adamsez **Fig. C.438** Low Down Combination Closet Set, comprising "Apex Shieldo" Closet Pan, made in white enamelled heavy fireclay, with polished mahogany seat, nickel-plated pillar hinges.

Fig. C.440 Polished Mahogany Flushing Cistern, with cover, copper lining, float-valve fittings, operated by nickel-plated side press button, white porcelain enamelled iron, or nickel-plated brass short flushpiece.



Fig. C.442

Adamsez **Fig. C.446** Low Down Combination Asylum Closet Set, comprising special pan made in white enamelled heavy fireclay ware, with "S" or "P" trap, sloping back extension, with vertical inlet and skirting, polished teakwood self-lifting seat, with brass bolt hinge and balance weights.

Fig. C.448 Painted Cast-iron Cistern, with sloping cover and lugs for screwing to wall, rustless syphon fittings operated by slide, short flushpipe and shield.

Do. white porcelain enamelled.



Fig. C.446

Adamsez **Fig. C.450** Low Down Combination Closet Set, comprising Closet Pan, made in heavy fireclay, white glazed inside, cane glazed out.

Do. do. all white pan.
Polished hardwood ring seat,
with brass pillar hinges.

Fig. C.452 Painted Cast-iron Cistern, with cover and lugs for screwing to wall, lever handle, and short flushpipe.

Do. do. galvanised iron.



Fig. C.450



Adamsez Fig. C.453

Low Down Combination Closet Set, comprising "**Swivel Shieldo**" Closet Pan, made in white enameled heavy fireclay, with polished mahogany seat, nickel plated pillar hinges. Cast lead P trap.

Fig. C.455 Glazed Fireclay Cistern, with cover, with float-valve fittings, operated by lever at side, and short flushpipe.

Fig. C.453

Adamsez Fig. C.456 Low Down Combination Closet Set, comprising Corbel Closet, made in white enameled heavy fireclay with lug for building into wall, hard-wood Insert seat pads.

Fig. C.458 Painted Cast-iron Cistern, with cover and lugs for screwing to wall, with float-valve fittings, operated by press button, and short flushpipe.

Do. white porcelain enamelled.



Fig. C.456




Fig. C.462

The "Pool" Closet Pan with slop top is suitable for use as a urinal closet; and for Domestic purposes, emptying pails, etc., where it is not desired to fix a slop hopper.

Adamsez Fig. C. 462 "Pool" Closet Pan with slop top, made in "Adamesk" fireclay ware, white glazed inside and out, "S" or "P" trap, with polished hardwood seat as illustrated, brass pillar hinges and self-lifting arrangement. White enamelled fireclay 2-gallon capacity cistern with rustless syphon, painted iron supporting brackets, brass chain and pull, galvanized steel flushpipe 5' 6" long with clip.

Painted iron 2-gallon cistern with cover and ears for screwing to wall, galvanised pull.



Adamsez Fig. 464 "Seal "

Closet Pan, adult size, made in heavy fireclay, white glazed inside and out, with loose "P" trap. The weight of the pan is supported on the front pedestal.


The flat sides and glazed back of supporting pedestal prevent accumulation of rubbish behind the pan.



Fig. C.464



Fig. C.467



Adamsez Fig. C.467 **School Board Pan** with side outlet. This type of pan has very short projection; made in "Adamesk" fireclay with Inserta seat pads, or hinged seat, as desired, 14" or 16" high, with brass inspection cap and iron spigot.



Fig. C.470

Adamsez **Fig. C.472 "Fire-Brigade" Closet Pan**, adult size, made in heavy fireclay, white glazed inside and out, with back extension and vertical inlet.

Do. but white inside, cane outside.

Polished hardwood hinged seat extra.



Fig. C.472

Adamsez **Fig. C.474 Swivel Closet**, adult size, made in heavy fireclay, white glazed inside and out, with lead trap that can be turned in any direction.

Do. but white inside and cane outside.

Polished hardwood hinged seat extra.



Fig. C.474



Fig. C.482

Adamsez **Fig. C.482 Latrine Pan**, made in heavy fireclay, cane glazed inside and outside, 12" and 15" high, back skirting and vertical inlet.

Do. but white inside, cane outside.

Polished hardwood fixed horse-shoe seat.

Adamsez **Fig. C.484 Native Closet Slab**, made in heavy fireclay, white enamelled, size 30" x 24", no flushing rim.

Do. but cane glazed.

Small size, 24" x 22", white glazed.

Do. do. cane glazed.




Fig. C.484




Fig. C.486

Adamsez **Fig. C.486 Native Closet**, made in white enamelled heavy fireclay, size 28" x 22". This type is suitable for flushing by nozzle.

Do. do. but cane glazed.

ADAMS PATENT "EPIC" TROUGH




Fig. C.510

IN Closet Ranges it is difficult, always to secure an effective flush because of the number of single cisterns that have to draw their water supply from one common feed pipe.

Separate individual control is imperative, yet, unless a sufficient flush is forthcoming when required—during School intervals and Factory meal hours especially—the conditions may become most objectionable and harmful to the health of users.

A high standard of sanitary accommodation is secured by the use of Adamsez Patent "Epic" Trough System of closet range flushing.

Because—whilst individual control is still retained, the large permanent reserve of water provided by this system secures a ready flush for every user. The trough containing enough water to give two full flushes per pan even without incoming water.

This system has been favourably known for many years and under our recent patented improvements pronounced and most helpful new features have been added, securing the following advantages :—

The syphonic discharge is set up by the user in the ordinary way, *but* the syphon is automatically so controlled that when it has delivered the measured $1\frac{1}{2}$, 2, or 3 gallon flush, action instantly ceases and *within 30 seconds another full flush can be obtained, even though the level of the water in the trough has fallen considerably.*

The latest type of "Epic" syphon is very silent in action.

SYSTEM OF FLUSHING CLOSET RANGES




Fig. C.510




Fig. C.512. Divisions.

From an economic standpoint, there is great saving in pipes, plumbing work, and up-keep charges, because the " Epic Range " is controlled by one or two reliable $\frac{3}{4}$ " valves, and only one overflow is required per range instead of many which are often a cause of trouble and difficult of access.

A most effective and simple method of Drain Flushing is provided by the trough when required, by the fitting of a control valve and downpipe from the trough to the head of the drain; so that by the discharge of the full contents of the trough a thorough cleansing can be given at any time to the drains.

As a water-waste preventing apparatus, the system has the full approval of the Metropolitan Water Board under whose authority and that of Water Boards throughout the country, it has been very extensively adopted. The following well-known names being selected from a very long list.

War Office. Admiralty. St. Bartholomew's Hospital. Moor Park Golf Club. Royal Gunpowder and Small Arms Factory, Enfield. H.M. Dockyards, Chatham. Birmingham Tram Sheds.

Factories.

Messrs. Bradford Dyers' Association, Bradford	Messrs. The Daimler Company Limited, Coventry
Messrs. Courtaulds, Limited, Flint, Coventry, Paris	Messrs. Rolls-Royce Limited, Derby
Messrs. Montague Burton, Limited, Leeds	Messrs Dunlop & Company, Limited, Birmingham
Messrs. Vickers Limited, Sheffield	Messrs. Hans Renold Limited, Manchester
Messrs. Cammell Laird & Co., Ltd. Sheffield	Sir W. G. Armstrong, Whitworth & Co., Limited
Messrs. Guest, Keen & Nettlefold, Birmingham	Messrs. Morris Motors, Coventry

Schools.

Redditch	Morpeth	Norwich	Warwick	Birmingham	Budleigh	Nottingham
Newcastle	Sudbury	Cardiff	Talgarth	Middlesbrough	Ossett	Leamington
Portsmouth	Gosport	Taunton	Chesterfield	Carmarthen	Bridgwater	Gateshead
Worcester	Holyhead	Hull	Rhyl	Southampton	Fratton	Newquay



Fig. C.516. The Patent "Epic" Trough, with Corbel Closet

Adamsez **Fig. C.516 Patent "Epic" Trough**, made in white enamelled fireclay, with rustless syphons, china pulls, and white painted flushpipe and pull tube. **Fig. C.518 Corbel Closet**, in white fireclay, with "Shieldo" guards and hardwood seat, lugs for building into wall.

Adamsez **Fig. C.519 Division**, comprising 30" x 24" white enamelled fireclay slabs with H iron centre piece and horizontal supports. Posts and doors not included.



Fig. C.528

Adamsez Fig. C.528 Automatic Latrines, comprising heavy fireclay adult-size pans, cane glazed in and out (or white glazed inside), with vertical inlet and flushing rim, polished hardwood Inserta seat Pads, galvanised wrought-iron automatic flushing tank, painted cast-iron trapping box, fallpipe, bend, and tee connection to and including horizontal flushpipes, brown glazed junctions and outlet up to 2' 8" centres, weir or syphonic outlet.

Fig. C.530 Closet Division, in cane glazed heavy fireclay, size 42" x 24" on pillar, giving a total height of 54".



Fig. C.532

Fig. C.536

Fig. C.534

Adamsez **Fig. C.532 Latrines**, comprising heavy fireclay adult-size pans, white glazed inside, cane outside, with Insert seat pads, galvanised iron automatic tank, painted cast-iron trapping box, fallpipe, bend, tee connection to and including horizontal flushpipes up to 2' 8" centres. Hinged seat extra.

Fig. C.534 Latrines, complete as before, but pans for children, 12" x 14" high.

Fig. C.536 Closet Division, in heavy fireclay, cane glazed on both sides, made with two slabs 4' 3" projection, fixed 1' 0" from floor, giving a total height of 5' 0".



Fig. C.538

Adamsez Fig. C.538 Latrines, for connecting soil pipes above ground, pans in heavy fireclay, white inside, cane outside, polished hardwood Inserta seat pads, for automatic flushing tank or separate cisterns.





Fig. C.540

Adamsez Fig. C.540 Trough Closets, made in brown glazed fireclay, complete with galvanised iron automatic tank, painted cast-iron down pipe, and plain whitewood seats, outlet with trap. Divisions extra.



*London Showrooms, Adams
House 23 Old Queen St. SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



OUR experience in the making of urinals extends back for many years ; the older types have been gradually superseded by the modern urinals shown on the following pages.

Public conveniences in hotels, railway stations, cafés, and clubs throughout the world have been installed, and we are always pleased to give advice and drawings when urinals have to be fixed in irregular spaces and curved walls.



CLIFTON DOWN CONVENIENCE, BRISTOL.




Fig. C.612.

The "Ural" Urinals

An attractive type that has been extensively used for public conveniences.

Adamsez **Fig. C.612 Urinal**, comprising curved backs with deep anti-splash roll; separate pillars, with cappings and loose floor channel (with which a fall is readily laid to the outlet); automatic flusher, all in best white glazed "Adamesk" fireclay; complete with white enamelled cistern brackets, polished brass flushpipes and spreaders, dome grate and earthenware trap, inlaid treads. Overall sizes, 4' 6" high \times 2' 0" centres.




Fig. C. 614.

The "Peak" Urinals.

This urinal has been designed to suit those who prefer the back and channel made in one piece.

Adamsez Fig. C. 614 Urinals, comprising backs with base in one piece, automatic flusher, all in best quality white glazed "Adamesk" fireclay; complete with painted iron brackets, brass flushpipes and spreaders, brass dome grate and brown-glazed earthenware trap, mosaic treads. Overall sizes, 4' 6" high \times 2' 0" centres.




Fig. C. 615.

The 'Cheviot' Urinals.

This urinal can be supplied with divisions 3", 6" and 12" high, and backs 3' 0" and 3' 6" high, making a wide range suitable for many requirements.

Adamsez **Fig. C. 615 Urinals**, comprising backs with base in one piece, automatic flusher, all in best quality white glazed "Adamesk" fireclay; complete with painted iron brackets, brass flushpipes and spreaders, brass dome grate and brown-glazed earthenware trap (no treads).




Fig. C. 616.

The "Pennine" Urinals

A popular type of which we hold good stocks ; see page 82.

Adamsez **Fig. C.616 Urinal**, comprising backs with loose division ; loose floor channel ; automatic flusher, all in best quality white glazed " Adamesk " fireclay ; complete with painted iron brackets, polished brass flushpipes and spreaders, dome grate and earthenware trap (no treads).




Fig. C.618.

The "Alps" Urinals

A popular type of which we hold good stocks ; see page 82.

Adamsez **Fig. C.618 Urinal Range**, comprising backs with loose pillars and loose floor channel ; automatic flusher, all in best quality white glazed "Adamesk" fireclay ; complete with painted iron brackets, polished brass flushpipes and spreaders, dome grate and earthenware trap (no treads).




Fig. C.619

A TYPICAL installation at Peterborough of our Fig. C.616 "Pennine" Urinal to suit angle position. This type and also the Fig. C.618 "Alps" Urinal, with corner stall, is a standard, and can be supplied promptly.

The plan shows the required dimensions. Further stalls can be added according to the available space. Urinals on back wall are all at 2' 0" centres, including the end stall without pillar.

Adamsez Fig. C.619 Floor Trays, shown above.

Adamsez Fig. C.621 Shallow Cast Iron Trap for urinals on upper floor where space is limited.

The above types can be supplied for all our urinals.





Fig. C.621




*London Showrooms: Adams
House 23 Old Queen St. SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Adamsez Fig. C.623 Patent "Duolos" Urinal. Two stalls in one piece of white enamelled fireclay, with cistern, brass outlet grate. A handsome type that gives adequate cover, very suitable for rooms of irregular form, and easily adaptable for Island Urinals of 4-6-8 stalls as shown on plan. May be sunk 4" into the floor if desired. The cost of fixing and cleaning is less than ordinary types.






Fig. C.624 The "Cotswold" Urinals

A simple urinal with back and division in one piece (the joint being in the centre of the stall), which is strongly recommended for schools, factories, railways, etc., where good cover and ready fixing is required.

Adamsez **Fig. C.624 Urinal Range**, comprising backs with division; loose channel, and automatic flusher, all in best white glazed "Adamesk" fireclay, complete with painted iron brackets, polished brass perforated sparge pipes, dome grate and earthenware trap (no treads); 4' 6" and 3' 6" high. Also made in cane glazed fireclay, with painted iron tank and galvanised pipes.

*London Showrooms, Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*





Fig. C.626 Slab Urinal



Adamsez Fig. C.626 Urinals, comprising a series of heavy glazed fireclay slabs, white or cane glazed, with return ends, 14" projection, 6" block floor channel, dome grate and earthenware trap (no treads); painted cast-iron flusher with brackets, galvanised flushpipes and clips; 4' 6" and 3' 6" high.




Fig. C.630 Urinal with Loose Floor Tread



Fig. C.633 Urinal with Loose Floor Tread

Adamsez **Fig. C.630 Single Stall Urinal**, in white or cane glazed "Adamesk" fireclay (no fittings). Overall sizes, 3' 6" and 4' 0" high \times 2' 0" wide.

" " 3' 0" high \times 1' 6" wide.

Adamsez **Fig. C.633 Angle Urinal**, in white or cane glazed fireclay (no fittings). Sizes, 3' 6" \times 2' 0" and 4' 0" \times 2' 3".

Adamsez **Fig. C.634 Flusher**, in white fireclay, with brass downpipe and nozzle, brass dome grate, and earthenware trap (floor treads extra).



Fig. C.636

Adamsez Fig. C.636 "Bedford"

Urinal, made in white glazed heavy fireclay, size 15½" high, 12" wide, 12" projection.

Adamsez Fig. C.638 "Bedford"

Angle Urinal, made in white glazed heavy fireclay, size 15½" across, 14" deep, 16" projection.



Fig. C.638



Fig. C.640

Adamsez Fig. C.640

"Urinette," introduced to provide free accommodation for women (fixed at London and Portsmouth), in closet compartments, and flushed by ordinary two-gallon cistern, operated by chain and pull, size 12" to 13" high, 11" wide, 22" projection.




Adamsez Fig. C.678 Bedpan Washer, in white enamelled fireclay, with teakwood pad on front rim, cast-iron painted cantilever brackets.

Large size 26" x 23"

Small size 24" x 18"

Adamsez Fig. C.680, white fireclay cistern and painted cast-iron brackets, brass rod pull, with guide, galvanised flushpipe and clip.

Adamsez Fig. C.682, foot action valves, with painted cast-iron wall plate and levers, bedpan and urinal bottle jets, with connecting pipes.



Adamsez Fig. C.684 Bedpan Washer, in white enamelled fireclay, with teakwood inserta rim, painted cast-iron cantilever brackets.

Size 24" x 18"


Adamsez Fig. C.686, white fireclay cistern and painted cast-iron brackets, brass chain pull, galvanised flushpipe and clip.

Adamsez Fig. C.688, hot and cold valves, with breeches piece, pipe connecting to jet, for bedpan or urinal bottles.

*London Showrooms: Adams
House 23 Old Queen St. SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



Adamsez **Fig. C.690 Combined Bedpan Washer and Sink**, made in one piece of fireclay, white enamelled inside and out, with trap, painted cast-iron cantilever brackets, $\frac{1}{2}$ " gun-metal lever taps, with connecting pipes to bedpan and urinal bottle jets, plug, chain, and stay to sink, $\frac{1}{2}$ " hot and cold lever taps over sink, overall sizes, 46" x 22" x 10".

Adamsez **Fig. C.686**, white fireclay cistern, with painted cast-iron brackets, brass pull, and galvanised flushpipe and clip.

Adamsez **Fig. C.692**, white fireclay drainer and one bracket, size 36" x 22". Lever tap with 3' rubber tube, rose and clip.



Adamsez **Fig. C.694 Mortuary Table**, on pedestals, in white enamelled fireclay, with grating and downpipe, in white glazed ware.

Large size overall 6' 6" x 2' 6"

Small size overall 6' 0" x 2' 0"

Also made with tubular iron frame and four caster wheels, and to revolve on centre pillar.

Adamsez Fig. C.696 Sink and Drainer, in white glazed "Adamesk" fireclay, with waste recess, open combined waste and overflow, with union in polished brass, on three painted cast-iron cantilever brackets, gun-metal combined $\frac{1}{2}$ " taps.

Sink size ...	30" × 18" × 7"	Drainer size ...	30" × 18"
	36" × 24" × 8"	(plain or fluted)	36" × 24"

Adamsez Fig. C.698 Slop Hopper and Sink, in white glazed "Adamesk" fireclay, teakwood insert at front, white fireclay pedestal, "S" or "P" trap, size overall 48" × 23" × 9 $\frac{1}{2}$ " (no fittings).

Adamsez Fig. C.700 Slop Hopper, in white glazed "Adamesk" fireclay, with flushing rim, size 22" × 18", back and side skirtings, "S" or "P" trap and teakwood insert on front edge, painted cast-iron cantilever brackets, also size 18" × 18".

Adamsez Fig. C.702 Pedestal Slop Hopper, in white glazed "Adamesk" fireclay, size 18" × 18", with flushing rim, back and side skirtings, "S" or "P" trap and teakwood insert on front edge, polished brass grating.

Adamsez Fig. C.704 Pedestal Bedpan Washer, in white glazed "Adamesk" fireclay, teakwood insert at front, with flushing rim, size 22" × 18", back and side skirting, "S" or "P" trap, $\frac{1}{2}$ " hot and cold taps, with breeches pieces, two-way valve and pipes connecting to and including bedpan spray and urinal bottle jet in polished brass.




Fig. C.704

Adamsez Fig. C.705 Patent "Apex" Bed Pan Jet.
A self-closing valve that is operated immediately the inverted vessel is placed in position and slightly depressed. On removing the vessel the flush instantly ceases.




Fig. C.705

*London Showrooms: Adams
House 23 Old Queen St. SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*




FIG. C.695



FIG. C.698



FIG. C.700



FIG. C.702

ADAMSEZ LTD

Adamsez **Fig. C.706 Double Sink**, in white glazed "Adamesk" fireclay, 6" high back, weir overflow, common to both sinks, teakwood drainer, and pad on front edge (no fittings or pedestals).

Overall sizes	42" × 21" × 9½"
" "	48" × 21" × 9½"

Adamsez **Fig. C.708 High-Back Sink**, in white glazed "Adamesk" fireclay, with roll edge and combined weir overflow, and teakwood pad on front edge (no fittings).

Overall sizes	24" × 18" × 10" × 16"
" "	27" × 20" × 10" × 16"
" "	30" × 20" × 10" × 16"
" "	36" × 24" × 12" × 18"

Adamsez **Fig. C.710 Combined Sink and Drainer**, in white glazed "Adamesk" fireclay, with roll edge and combined overflow, teakwood pad on front edge (no fittings).

Overall sizes	36" × 18" × 9½"
" "	42" × 21" × 9½"
" "	48" × 24" × 9½"

Adamsez **Fig. C.712 Combined Sink**, in white glazed "Adamesk" fireclay, with snugs for and including teakwood drainer, with pad on front edge (no fittings).

Other sizes quoted on application.

Overall sizes	36" × 18" × 9½"
" "	42" × 21" × 9½"
" "	48" × 24" × 9½"

Polished brass screw-down ½" bib tap.

1½" vulcanite plug, brass chain and stay, seating and union for lead.

Adamsez **Fig. C.714 Pedestals**, in white glazed "Adamesk" fireclay.

*London Showrooms, Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*

FIG. C. 706



FIG. C. 708




FIG. C. 710




FIG. C. 712

ADAMSEZ LTD

Adamsez **Fig. C.716 "Helios" Sink**, in best quality "Adamesk" fireclay, with patent draining ledge; can be supplied in any of the sizes for London and Belfast pattern sinks.

Adamsez **Fig. C.718 "Belfast" Pattern Sinks**, in best quality "Adamesk" fireclay, with combined overflow (no fittings or supports).

Made in all standard sizes, white glazed inside and outside; white glazed inside, cane outside; cane glazed inside and outside.

Adamsez **Fig. C.719 "London" Pattern Sinks**, in best quality "Adamesk" fireclay, without overflow, plain or fluted fronts (no fittings).

Made in all standard sizes, white glazed inside and outside; white glazed inside, cane outside; cane glazed inside and outside.

Adamsez **Fig. C.720 Angular London Pattern Sinks**, in best quality "Adamesk" fireclay, plain or fluted fronts (no fittings).

Outside measurements	22" × 16" × 5"
" " " "	...	24" × 18" × 5"
" " " "	...	28" × 20" × 5"
" " " "	...	34" × 24" × 6"

Adamsez **Fig. C.722 Patent "Krator" Sink and Bowl**, in best quality "Adamesk" fireclay, recommended for housing schemes.

Outside measurements	27" × 18" × 7"
" " " "	...	30" × 18" × 7"
" " " "	...	36" × 20" × 7"
" " " "	...	42" × 20" × 7"

Adamsez **Fig. C.724 Patent "Krator" Sink Supports**, in best white glazed "Adamesk" fireclay.

Polished brass screw-down $\frac{1}{2}$ " bib tap, with wall face union.
 $1\frac{1}{2}$ " vulcanite plug, chain, and stay seating and union.

*London Showrooms: Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*



"HELIOS"




BELFAST SINK
on
KRATOR SUPPORTS



"LONDON"



"LONDON"
(ANGULAR, FLUTED)



"KRATOR"

ADAMSEZ LTD

Adamsez **Laboratory Sinks or Drip Trays**, in best quality "Adamesk" fireclay, without fittings, with or without roll edge on outside; white glazed in and out; white in, cane out; cane in and out.

Fig. C.726 —Overall sizes	24" × 15" × 7" × 13"
" " "	12" × 9" × 7" × 13"
" " "	16" × 12" × 7" × 13"
Fig. C.728 —	" " " ...	12" × 9" × 5" × 8"
" " "	12" × 9" × 7" × 13"
" " "	18" × 10" × 6" × 12"
Fig. C.730 —	" " " ...	17" × 13" × 6"
" " "	22" × 16" × 9"
" " "	15" × 11" × 6"
Fig. C.732 —	" " " ...	16" × 12" × 7" × 22"
Fig. C.734 —	" " " ...	12" × 9" × 7" × 22"
Fig. C.736 —	" " " ...	16" × 16" × 7" × 22"
Fig. C.738 —	" " " ...	12" × 12" × 7"
" " "	15" × 15" × 9"
" " "	24" × 15" × 7"

Other sizes quoted on application. Polished brass screw-down $\frac{1}{2}$ " bib tap. $1\frac{1}{4}$ " outlet grate and union.

Adamsez **Fig. C.740 Wash Tub**, in best quality white glazed "Adamesk" fireclay, with fluted surface at front inside.

Overall sizes	24" × 20" × 15"
-------------------	-----	-----------------

Adamsez **Fig. C.742 Wash Tub**, with high back and soap ledge, made in best quality white glazed "Adamesk" fireclay.

Overall sizes	24" × 20" × 15" × 21"
" "	27" × 20" × 15" × 21"
" "	30" × 24" × 15" × 21"

Adamsez **Fig. C.744 Wash Tub**, made in best quality white glazed "Adamesk" fireclay.

Overall sizes	24" × 20" × 15"
" "	27" × 20" × 15"
" "	30" × 24" × 15"





Fig. C.758

Adamsez **Fig. C.758 Fireclay Bath**, parallel sided, made in "Adamesk" fireclay, white enamelled inside and over roll, size 5' 8" x 2' 8" x 1' 10" deep overall, $\frac{3}{4}$ " screw-down cone covered taps with two-way valve to supply bath and shower fitting with feed pipes, made in strong nickel-plated brass, nickel-plated brass plug chain, stay, seating and trap, complete with curtain-rail and india-rubber curtain as illustrated.

*London Showrooms: Adams
House 23 Old Queen St SW1*

Adamsez Ltd

*Head Office and Fireclay
Works Scotswood-on-Tyne*




Fig. C.760—Fireclay Bath.

Adamsez **Fig. C.760 Fireclay Bath**, parallel sides; white enamelled inside and over roll, "Adamesk" fireclay, with $\frac{3}{4}$ " N.P. cone covered taps, plug, N.P. chain and union. Size, 5' 8" \times 2' 8" \times 1' 10" deep overall.



C.767



C.769

Adamsez **Fig. C.767 Bidet**, in white enamelled "Adamesk" fireclay, with back shelf to carry nickel-plated screw-down hot and cold taps to Bidet, and flushing rim with nickel-plated pop-up waste and grated combined overflow with unions. Overall sizes, 27" \times 16" high.

Adamsez **Fig. C.769 Sitz Bath**, in white enamelled "Adamsek" fireclay, nickel-plated fittings, supplying ascending spray and jet and back spray; nickel-plated standing waste and overflow supply pipes to floor with flanges. Overall sizes, 29" wide \times 25" project \times 24" high.



Fig. C.772.

The "Regent" Cast-Iron Bath.

This bath is made with a deep $4\frac{1}{4}$ " flat roll, and supplied with separate panels.

With one front panel the bath would fit into a recess. With two panels the bath suits a corner position. Three and four panels supplied as desired.

Adamsez **Fig. C.772 "Regent" Bath**, the front and end panels made in white porcelain enamelled iron with $\frac{3}{4}$ " screw-down cone covered taps, two-way valve to supply bath and shower fitting with feed pipes, made in strong nickel-plated brass, nickel-plated brass plug, chain, stay seating and trap, complete with curtain-rail and india-rubber curtain as illustrated.

Overall size, 6' 1" long, $32\frac{1}{2}$ " wide, $3\frac{1}{4}$ " and $4\frac{1}{4}$ " flat roll.




Fig. C.774


Adamsez Fig. C.774 "Regent" Bath, made in white porcelain enameled cast iron, with white porcelain enameled cast-iron panels, front, back, and two ends.

Size, 6' 0½" overall, 33" wide, 21½" high, 4¼" roll.

The "Regent" bath can be supplied to suit the various positions shown on plans below.

Kindly state on enquiries which position the Bath is required to suit, and if with the fittings on the left-hand side or right-hand side of the Bath.

Panels in various coloured marbles can be supplied or for use with tiling.






Fig. C.876

Adamsez **Fig. C.876 Cast-iron Bath**, white porcelain enamelled inside, parallel sided, with soap sinkings cast at end of bath, fitted with $\frac{3}{4}$ " polished brass hot and cold supply taps, with bottom inlet to bath, $1\frac{1}{2}$ " top overflow, vulcanite plug, with brass chain, and $1\frac{1}{2}$ " trapped waste, overall length 6' $2\frac{1}{2}$ ", inside size, 5' 6", 4" roll, overall width, $32\frac{1}{2}$ ".



Fig. C.882

Adamsez **Fig. C.882 Cast-iron Bath**, white porcelain enamelled inside, with soap sinkings and upstands cast at end of bath, with detachable feet, and prepared with overflow and inlet holes, overall length, 5' 3", inside size, 4' 9", $2\frac{1}{2}$ " roll, width overall, 27".



Fig. C.888

Adamsez **Fig. C.888 white Porcelain Enamelled Cast-iron Bath**, enamelled inside and on roll, plain painted out, fitted with painted iron detachable feet, $\frac{3}{4}$ " N.P. hot and cold cone taps, overflow waste and trap. Sizes, inside length 5' 0", outside length 5' 5", $2\frac{1}{2}$ " roll, 17" deep inside; width inside 18" to 22", overall 23" to 27". Large size, 5' 6" inside, 6' 0" overall, 3" roll.

Parallel-sided, size 5' 0" inside, 5' 5" overall, $2\frac{1}{2}$ " roll, 17" deep inside, 22" wide inside, 27" wide overall. Large size, 5' 6" inside \times 6' 0" overall, 3" roll.



Adamsez **Fig. C.892 Child's Parallel-sided, Equal-ended Bath**, in cast-iron porcelain enamelled inside, plain painted out, supported on special high feet, and fitted with polished brass top overflow vulcanite plug, brass chain, and $1\frac{1}{2}$ " grid outlet with bent union; size, 3' $4\frac{1}{2}$ " overall, 3' 0" inside; $18\frac{1}{2}$ " \times $18\frac{1}{2}$ " inside, $2\frac{1}{4}$ " roll; height overall, 2' $7\frac{1}{2}$ ".

Hospital Baths on wheels and white enamelled fireclay Baby Baths can be supplied.



Fig. C.920 Showers.

Fig. C.921 Sprays

Adamsez Shower and Spray Baths, suitable for factories, coal mines, gymnasiums, public baths, etc. The Fig. C.924 divisions shown are made in cane glazed "Adamesk" fireclay, size 3' 6" x 2' 0" x 2 1/4" thick, supported on glazed ware pillars 12" from floor (larger divisions supplied if necessary). The Fig. C.926 floor trays are also made in cane glazed "Adamesk" fireclay, size 24" x 24" x 6".

Adamsez Fig. C.920 Showers, comprising overhead 9" shower with wall plate, down pipe control tap, and tap for footbath, in polished brass.

Adamsez Fig. C.921 Sprays, comprising two spray tubes, down pipe, control tap, and tap for footbath, in polished brass.

Adamsez Fig. C.922 Showers, comprising overhead 9" shower, with wall plate, down pipe, spring tap, in polished brass and hinged wood tray.




Fig. C.922




Fig. C.908-9




Fig. C.910




Fig. C.914



Fig. C.916



Fig. C.918

Adamsez **Fig. C.908 Shower**, $\frac{3}{4}$ " taps and breeches piece, $1\frac{1}{8}$ " brass tube, 9" shower.

Adamsez **Fig. C.909 Shower**, as above, but with curtain and ring.

Adamsez **Fig. C.910 Shower**, self-closing tap with brass chain pull; $\frac{3}{4}$ " malleable iron bronzed tube and flange, 9" shower.

Adamsez **Fig. C.914 Combined "Anti-Scalding" Supply Fitting**, consisting of wall plate, $\frac{3}{4}$ " hot and cold inlets and 1" outlet, mixing box and lever handle with pointer for cold, tepid, hot and off.

Adamsez **Fig. C.916 Shower**, $\frac{3}{4}$ " self-closing tap, with brass chain pull and 9" brass shower.

Adamsez **Fig. C.918 Shower**, brass or copper, with inlet screwed $\frac{3}{4}$ " female.



Fig. C.944—For Clean Water.




Fig. C.946—For Waste Water.

The Adams' Patents were the first automatic flush tanks to start with drop-by-drop supply, wasting no water, but instantly coming into operation the moment the starting level is reached. They still remain far in advance of any others, and are unapproached for general excellence. At the outlet a fallpipe of same diameter as outlet, and not less than 3' 0" in length, must be attached. If the positions are exposed, the tank and pipes should be encased in woodwork, and packed in sawdust to prevent freezing. All tanks using dirty water must be cleaned out at regular intervals; they must also have free ventilation at outlet. All tanks are carefully tested before leaving our works.

Adamsez **Fig. C.944 Automatic Tank** for clean water made in strong galvanised iron.

10 galls. ...	18" × 13" × 14"	50 galls. ...	31" × 21" × 21"
15 " ...	20" × 14" × 14"	60 " ...	32" × 22" × 24"
20 " ...	20" × 15" × 18"	70 " ...	36" × 24" × 24"
25 " ...	24" × 18" × 18"	80 " ...	36" × 25" × 26"
30 " ...	27" × 19" × 18"	100 " ...	39" × 28" × 26"
40 " ...	30" × 19" × 19"		

Adamsez **Fig. C.946 Automatic Tank** for drain flushing for bath, or other comparatively clean water. Body made in cast iron, painted. Internal parts galvanised.


15, 20, 30, 50 and 100 gallons

Price for lid and frame and sunk dish on application.



Adamsez Fig. C.956 Automatic Earth Closet. The receiver and internal parts are made in galvanised iron, and the body in painted sheet iron, with polished hardwood hinged seat.

The Section shows the simplicity of the appliance. It is much more cleanly than the old type wooden earth closet.





The **Adams'** system of Sewage Purification for Country Houses, and isolated Buildings where it is impossible to connect to a sewer, is a progressive development introduced by us over thirty years ago.

It has given satisfaction to many hundreds of users throughout the country.

We shall be pleased to give advice with estimates and working drawings of an installation to suit the conditions you have.

NOTE.—Full information should accompany any enquiry—the number of Residents in the houses to be dealt with—if Public Water Supply is laid on—if Baths and W.C.'s are included—if it is proposed to include Stable Drainage. The size of the system depends upon the volume of sewage to be treated; and it is presumed that all rain water is separated by means of independent drains, as if this is done economy can be effected in the size of plant.

The type of Installation depends on the contour of the land—the amount of fall available, and the nature of subsoil.


The filtering material used can be obtained locally, and should consist of clean, hard furnace clinker, free from dust. A deep layer of material that has passed through a 1" mesh, but not very small, is recommended, whilst a layer of larger material about 2" or 3" cube should be used at bottom of filter to allow the effluent to drain freely. The bottom of filter must have a slight fall to the collecting channel.

We do not undertake the fixing of any of the types shown, as this work can be done more economically by local contractors, from the details supplied by us free of charge.

There is no smell or offence provided such attention is given the apparatus and its connections as any drainage plant demands. The intelligent care of any "handyman" suffices. When the scum in the cylinder exceeds 24" in depth, half should be removed, but not all, the inlet and outlet pipes kept clear, and the tipper in working order.

We always welcome letters of enquiry, and without charge give such written advice as may secure the continuous effective operation of any apparatus we have supplied.

Architects and users write us : " I am pleased to say the apparatus is still giving great satisfaction."



The "Helios" System—Downward Filtration. The purification of decomposing organic matter is brought about by a process of indirect oxidation through the agency of bacteria, the amount of oxygen absorbed being the measure of its purification.

Owing to the even distribution, the arrangement of walls and floor giving an ample supply of air, a highly oxidised effluent is obtained with the "Helios" Filter.


If desired, the walls of filter may be built higher and the tipper and tray covered with open woodwork, without impairing the efficiency of the apparatus.

"The apparatus has been satisfactory in every respect."

London Showrooms, Adams
House 23 Old Queen St SW1

Adamsez Ltd

Head Office and Fireclay
Works Scotswood-on-Tyne




The "Shannon" Sewage Purification Apparatus is suitable for positions where there is not so much fall available as the "Helios" type requires.


A shallower filter of large area is used and the sewage is distributed by a tipper discharging into butted field pipes.

Type A has an artificial made-up filter and type B is used only where the soil is of a sufficiently open nature to absorb the purified effluent.

The pipes should be long enough to hold a day's volume.



"The several sets have proved highly satisfactory. One great advantage is the absence of any smell, and since the schemes have been installed I have never received a complaint in this respect."



The district where it is proposed to fix a Sewage Purification Plant may be so flat that no fall whatever is available; under these conditions we recommend the use of the **"Cleanos"** upward filter, which eliminates the cost of pumping. The effluent flowing from the cylinders enters beneath the filtering material, discharging practically at the level of the incoming drain, as here illustrated. The filtering material must be changed periodically—one lot in use whilst the other is spread out to aerate and rest.

"You may be interested to know that the apparatus you supplied a year or two ago has been very satisfactory."




Fig. C.961

Patent Level Eye Back-Pressure Trap.

To check back flow up the drain in low-lying districts, use our **Patent Level Eye Back-Pressure Trap**. The level eye admits of rodding and clear inspection, and the flap prevents the flooding of drains at time of storm.

Made in cane glazed ware for 6" diameter pipes.




Fig. C.968

Grease trap that has proved very popular; simple, and easily cleared.

Adamsez Fig. C.968, in brown glazed ware: size, 15" x 10" x 13½"; large size, 19" x 12" x 15".



Fig. C.964

Adamsez Fig. C.964 Patent "Krator" Chimney Pot has now been in use for many years, giving every satisfaction to its users. A perfect smoke preventer must have the greatest possible wind area to create the induced current. In our patent "Krator" Chimney Pot there are three wide flat surfaces on which the full force of the wind strikes. An Architect writes:—

"The 'Krator' Pots supplied a month ago are satisfactory; am pleased to say that although complaints were frequent and bitter previous to their adoption, there have been no complaints since."

Made in Buff Terra Cotta. Small size, 2' 4½" high.

ADAMSEZ LTD. SCOTSWOOD ON TYNE

"C" Catalogue Price List.

June, 1927.

Subject to Alteration without Notice.

Carriage paid £10 gross or over.

SECOND ISSUE.

Page	Fig.	£ s. d.	
7	C.2.	19 16 0	Complete as specification.
		14 10 0	Basins and legs only—unfitted.
8	C.4.	13 13 0	Complete as specification, 36×24 ins.
		11 8 0	Basin and pedestal only—unfitted.
		10 1 0	Complete as specification, 30 ins.
		7 8 0	Basin and pedestal only—unfitted.
9	C.5.	14 18 9	Complete as specification, 36 ins.
		12 4 0	Basin and pedestal only—unfitted
		10 16 3	Complete as specification, 30 ins.
		8 1 6	Basin and pedestal only (unfitted)
10	C.9.	12 17 0	Complete as specification, 36 ins.
		9 16 0	Basin and legs only (unfitted)
		8 19 0	Complete as specification, 30 ins.
		5 18 0	Basin and legs only (unfitted)
		9 2 0	Shampoo Fitting. Nickel plated.
11	C.11.	8 10 3	Complete as specification.
		5 16 6	Basin and leg only (unfitted)
12	C.13.	10 2 6	Complete as specification.
		6 2 9	Basin only (unfitted).
13	C.15.	8 0 3	Complete as specification.
		4 4 0	Basin only (unfitted)
		0 8 0	Nickel plated trap, extra.
		1 10 0	Vitrolite skirting and shelf, extra.
14	C.17.	8 8 0	Complete as specification.
		5 14 0	Basin and pedestal only (unfitted)
15	C.19.	8 0 3	Complete as specification.
		4 4 0	Basin only (unfitted)
16	C.21.	7 13 6	Complete as specification.
		4 4 0	Basin only (unfitted).
		1 10 0	Vitrolite skirting and shelf extra.
17	C.23.	9 5 9	Complete as specification.
		6 11 9	Basin and pedestal only.
18	C.24.	6 12 3	Complete as specification, 27 ins.
		4 14 9	Basin only (unfitted).
		5 8 6	Complete as specification, 22 ins.
		3 11 0	Basin only (unfitted).
19	C.25.	6 14 6	Complete as specification, 27 ins.
		4 14 9	Basin only (unfitted).
		5 4 3	Complete as specification, 22 ins.
		3 11 0	Basin only (unfitted).
20	C.32.	8 2 6	Complete as specification.
		6 17 9	Basin and leg only (unfitted).
		1 0 0	Brass hot and cold stand pipes per pair, extra
		1 7 6	Nickel plated ditto. per pair, extra
		0 3 3	If taps and waste Nickel plated, extra per set
21	C.36.	5 11 9	Complete as specification, 24 ins.
		4 13 0	Basin and leg only (unfitted).
		5 4 9	Complete as specification, 22 ins.
		4 6 0	Basin and leg only (unfitted)

Page	Fig.	£ s. d.	
22	C.55.	4 14 9	27 ins. (no fittings see page 44).
		3 11 0	22 ins. " " "
	C.58.	6 2 9	30 ins. " " "
		3 18 0	24 ins. " " "
23	C.59.	5 1 9	No fittings. " "
	C.62.	3 1 9	No fittings. " "
24	C.66.	6 12 0	27 ins (no fittings) " "
		5 9 6	24 ins. " " "
	C.64.	4 4 0	27 ins. " " "
		3 9 6	24 ins. " " "
	C.69.	1 15 6	No fittings. " "
25	C.72.	3 18 0	No fittings " "
	C.74.	3 18 0	No fittings " "
26	C.75.	2 9 9	18 ins. (no fittings) " "
		2 19 6	20 ins. " " "
		3 11 0	22 ins. " " "
		3 18 0	24 ins. " " "
	C.77.	4 14 9	No brackets. " "
27	C.79.	4 6 6	No fittings. " "
	C.80.	4 6 6	27 ins. " " "
		3 9 0	24 ins. " " "
28	C.108.	16 16 3	Per range of 3 complete as specification, 21 ins.
		5 4 3	Extra per basin.
		3 5 6	Basins only (unfitted)
		18 13 9	Per range of 3 complete as specification, 24 ins.
		5 16 9	Extra per basin.
		3 18 0	Each, basin only (unfitted).
		21 4 0	Per range of 3 complete as specification, 27 ins.
		6 13 6	Extra per basin.
		4 14 9	Each, basin only (unfitted).
29	C.112.	17 19 6	Per range of 3 complete as specification, 21 ins.
		5 9 6	Extra per basin.
		3 5 6	Each, basin only (unfitted)
		19 17 0	Per range of 3 complete as specification, 24 ins.
		6 2 0	Extra per basin.
		3 18 0	Each, basin only (unfitted).
		22 14 0	Per range of 3 complete as specification, 20 ins.
		6 18 9	Extra per basin.
		4 14 9	Each, basin only (unfitted).
30	C.117.	14 14 9	Per range of 3 complete as specification, 16 or 18 ins.
		3 3 0	Extra per basin.
		2 15 9	Each, basin only (unfitted).
		16 4 0	Per range of 3 complete as specification, 20 ins.
		5 0 6	Extra per basin.
		3 4 3	Each, basin only (unfitted).
		17 2 0	Per range of 3 complete as specification, 21 ins.
		5 6 6	Extra per basin.
		3 10 3	Each, basin only (unfitted).
		18 5 3	Per range of 3 complete as specification, 22 ins.
		5 12 0	Extra per basin.
		3 15 9	Each, basin only (unfitted).
		19 6 3	Per range of 3 complete as specification, 24 ins.
		5 19 0	Extra per basin.
		4 2 9	Each, basin only (unfitted)
		0 5 0	Per basin extra for painted iron front leg

Page	Fig.	£	s.	d.	
31	C.118.	13	1	0	Per range of 3 complete as specification, 16 or 18 ins.
		4	2	0	Extra per basin.
		2	9	9	Each, basin only (unfitted).
		14	10	3	Per range of 3 complete as specification, 20 ins.
		4	11	9	Extra per basin.
		2	19	6	Each, basin only (unfitted).
		15	8	3	Per range of 3 complete as specification, 21 ins.
		4	17	9	Extra per basin.
		3	5	6	Each, basin only (unfitted).
		16	4	9	Per range of 3 complete as specification, 22 ins.
		5	3	3	Extra per basin.
		3	11	0	Each, basin only (unfitted).
		17	5	9	Per range of 3 complete as specification, 24 ins.
		5	10	3	Extra per basin.
		3	18	0	Each, basin only (unfitted).
32	C.122.	0	5	0	Per basin extra for Painted iron front leg.
		14	8	9	Per range of 3 complete as specification, 18 ins.
		4	8	9	Extra per basin.
		2	9	9	Each, basin only (unfitted)
		16	16	0	Per range of 3 complete as specification, 21 ins.
		5	4	6	Extra per basin.
		3	5	6	Each, basin only (unfitted).
33	C.133.	37	17	6	Per range of 6 basins (3 each side) complete as specification, but no supply pipes, size per pair 30×20 ins overall.
		12	5	0	Extra per pair.
		7	13	6	Fireclay only unfitted, per pair of basins.
		2	8	0	Pedestals, each.
		2	9	9	Channel.
		0	6	9	Extra per foot.
		44	1	3	Per range of 6 basins (3 each side) complete as specification, but no supply pipes, size per pair 33×24 ins. overall.
		14	6	3	Extra per pair.
		9	14	9	Fireclay only unfitted, per pair of basins.
		2	8	0	Pedestals, each.
		2	9	9	Channel.
		0	6	9	Extra per foot.
34	C.135.	53	1	3	Per range of 3 pairs (6 basins) complete as specification, 21 ins.
		10	6	3	Extra per pair.
		36	16	3	Per range of 3 pairs (6 basins) complete as specification, 24 ins.
		11	11	3	Extra per pair.
		42	3	6	Per range of 3 pairs (6 basins) complete as specification, 27 ins.
		13	4	9	Extra per pair.
					Basins only (unfitted) as C.108.
35	C.136.	34	18	6	Per range of 3 pairs (6 basins) complete as specification.
		11	0	0	Extra per pair.
		8	6	9	Basins only (unfitted) per pair.
35	C.137.	25	5	0	Per double range of 3 (6 basins) complete as specification, 16 or 18 ins.

Page	Fig.	£ s. d.	
		7 17 9	Extra per pair.
		28 3 6	Per double range of 3 (6 basins). Complete as specification, 20 ins.
		8 17 3	Extra per pair.
		29 19 6	Per double range of 3 (6 basins). Complete as specification, 21 ins.
		9 9 3	Extra per pair.
		31 19 3	Per double range of 3 (6 basins). Complete as specification, 22 ins.
		10 0 3	Extra per pair.
		31 1 3	Per double range of 3 (6 basins). Complete as specification, 24 ins.
		10 14 3	Extra per pair.
			Basins only (unfitted) as C.117.
36	C.142.	69 2 3	Complete as specification with spray or swivel taps, supply pipes to floor NOT included.
		33 3 3	Extra per pair of troughs fitted complete.
		7 11 0	Reduction if troughs 5 feet long, per set of 4 as illustrated.
		3 15 6	Reduction per pair.
		11 6 0	Per trough (fireclay only unfitted), 6 feet.
		9 8 3	Per trough (fireclay only unfitted), 5 feet.
		0 15 0	Extra for stand pipes and breeches piece to floor, in galvanized, per pair.
		1 2 6	Ditto. brass, per pair.
37	C.145.	34 14 6	Complete as specification.
		16 7 0	Extra per trough, fitted complete.
		6 7 6	Extra if standards white porcelain enamelled iron, per range of 2, troughs.
		2 2 6	Extra per trough.
		9 12 6	Fireclay only (unfitted).
38	C.148.	14 4 3	5 ft. 0 ins. length (per trough), complete 16×9 ins.
		16 2 0	6 ft. 0 ins. length (per trough), " "
		9 8 3	5 ft. 0 ins. length (fireclay only unfitted). " "
		11 6 0	6 ft. 0 ins. length (fireclay only unfitted).
		11 9 9	5 ft. 0 ins. length (per trough), complete 14×7 ins.
		12 16 6	6 ft. 0 ins. length (per trough), complete 14×7 ins.
		6 13 9	5 ft. 0 ins. length (fireclay only unfitted).
		8 0 6	6 ft. 0 ins. length (fireclay only unfitted).
		3 3 0	Extra for 6 ins. Channel per 5 ft. 0 ins. length complete with grating and trap.
		0 6 9	Extra or reduction per foot.
39	C.184.	4 4 0	Basin only.
	C.180.	4 0 6	Knee action waste, gunmetal.
		4 8 0	Knee action waste, nickel plated.
	C.186.	8 0 9	Mixing valve, gunmetal.
		8 11 6	Mixing valve, nickel plated.
	C.188.	0 17 0	Brackets, per pair.
40	C.190.	4 4 0	Basin only.
	C.192.	5 7 0	Taps gunmetal.
		5 14 7	Taps nickel plated.
	C.194.	1 12 3	Standing overflow, gunmetal.
		1 16 6	Standing overflow, nickel plated.
	C.188.	0 6 0	Painted cast iron brackets, per pair.
		0 17 0	If white, porcelain enamelled, per pair.

Page	Fig.	£ s. d.	
41	C.196.	5 1 6	Basin only.
	C.198.	6 19 3	Valves, gunmetal.
		7 15 6	Valves, nickel plated.
	C.180.	4 0 6	Knee action waste, gunmetal.
		4 8 0	Knee action waste, nickel plated.
		0 11 0	White porcelain enamelled iron discharge pipe.
	C.200.	0 17 0	Brackets.
	C.202.	3 18 0	Basin only, 24 ins.
		6 2 6	Basin only, 30 ins.
	C.204.	8 11 9	Taps gunmetal.
		9 12 0	Taps nickel plated.
	C.206.	4 0 6	Knee action waste, no trap, gunmetal.
		4 8 0	Ditto. Nickel plated.
		0 16 0	Extra for trap, gunmetal.
		1 1 0	Extra for trap, nickel plated.
	C.210.	1 4 6	Brackets per pair.
42	C.224.	8 0 0	Complete as specification.
	C.225.	4 9 6	" " "
43	C.226.	3 1 0	" " "
	C.227.	5 12 9	" " "
	C.230.	3 14 0	" " "
	C.231.	4 7 6	" " "
			FITTINGS FOR LAVATORY BASINS C.55 to C.80.
44	C.262.	0 9 0	Brass or gunmetal, $\frac{1}{2}$ in. per pair
		0 10 6	Nickel plated ditto. " "
		0 11 6	J.C.S.W.R. do. brass or gunmetal " "
		0 13 0	J.C.S.W.R. do. nickel plated " "
	C.264.	0 2 0	Extra if with sheath cover as shewn. " "
		0 4 6	Vulcanite plug, brass chain, stay, seating and union
		0 5 3	Nickel plated ditto.
		0 2 0	Gunmetal overflow grating.
		0 2 6	Nickel plated ditto.
		0 3 9	$1\frac{1}{4}$ in lead trap.
		0 3 9	$1\frac{1}{4}$ in. Painted iron trap.
		0 6 9	$1\frac{1}{4}$ in. Brass trap.
		0 8 0	$1\frac{1}{4}$ in. Nickel plated trap.
		0 6 0	Painted cast iron brackets per pair
		0 9 0	Galvanized brackets " "
		0 17 0	White porcelain enamelled iron or fireclay " "
		1 4 6	White porcelain enamelled iron towel rail type " "
		0 5 0	Painted iron legs, each
		0 6 9	Galvanized iron legs, each.
		0 10 0	White porcelain enamelled iron legs, each
	C.266.	0 19 0	Gunmetal per pair
		1 1 0	Nickel plated " "
	C.268.	1 4 0	Gunmetal. " "
		1 6 0	Nickel plated. " "
	C.270.	1 11 4	Gunmetal. " "
		1 13 4	Nickel plated " "
	C.271.	1 10 0	Gunmetal. " "
		1 11 6	Nickel plated. " "
	C.272.	2 0 0	Gunmetal. " "
		2 2 0	Nickel plated. " "
	C.274.	2 1 6	Gunmetal. " "
		2 4 6	Nickel plated. " "

Page	Fig.	£ s. d.		
	C.276.	1 3 0	Gunmetal.	per pair
		1 5 0	Nickel plated.	" "
	C.278.	2 2 10	$\frac{1}{2}$ in. Gunmetal.	" "
		2 6 6	$\frac{1}{2}$ in. Nickel plated.	" "
		2 15 6	$\frac{3}{4}$ in. Gunmetal.	" "
		2 19 0	$\frac{3}{4}$ in. Nickel plated.	" "
	C.280.	4 8 6	Brass, the set.	
		4 12 6	Nickel plated, the set.	
	C.296.	1 3 0	Gunmetal standing waste.	
		1 4 6	Nickel plated ditto.	
	C.302.	2 9 6	$\frac{1}{2}$ in. Pillar pattern.	" "
		3 3 6	$\frac{3}{4}$ in. and 1 in. ditto.	" "
		2 1 6	$\frac{1}{2}$ in. Bib type.	" "
		2 9 6	$\frac{3}{4}$ in. Bib or globe type.	" "
45	C.334.	1 6 9	Nickel plated, $\frac{3}{4}$ in. rail, 30 ins. long.	
		1 10 0	Nickel plated, 1 in. rail, 30 ins. long.	
	C.336.	10 7 6	3 ft. \times 3 ft., $1\frac{1}{4}$ in. rail, nickel plated.	
	C.338.	14 1 6	30 ins. high, 36 ins. wide, with ground union joints, $1\frac{1}{4}$ in. rail, nickel plated.	
48	C.382.	4 13 3	Closet pan and seat.	
		2 18 6	Fireclay cistern, 2 gallon complete. White.	
		3 6 9	Ditto. 3 gallon.	
		0 3 6	Brass ring guide.	
		1 0 9	Polished brass or copper flushpipe.	
		1 5 9	Nickel plated ditto.	
		0 2 6	Nickel plated chain pull, cistern unions and seat hinges.	
49	C.384.	3 0 6	Pan and seat.	
		3 5 6	If seat with back extension.	
		2 18 6	Fireclay cistern, 2 gallon. White.	
		3 6 9	Ditto. 3 gallon.	
		1 4 3	Painted cast iron medium county pattern, well bottom, 2 gallon.	
		1 7 9	Ditto. 3 gallon.	
		0 5 3	Galvanized steel flushpipe.	
		1 0 9	Brass ditto.	
		1 2 6	White porcelain enamelled iron ditto.	
		1 5 9	Nickel plated ditto.	
		0 15 0	Extra for patent silencer.	
50	C.386.	3 7 3	Pan and seat.	
		3 12 3	Ditto. Pan all white.	
		1 4 3	Painted cast iron medium county pattern, 2 gallons well bottom.	
		1 7 9	Ditto. 3 gallons.	
		2 18 6	Fireclay cistern, 2 gallons. White.	
		3 6 9	Ditto. 3 gallons.	
		0 5 3	Galvanized steel flushpipe.	
		0 3 6	Extra for galvanized tubular chain guide.	
52	C.388.	2 18 9	Pan and pads.	
		3 3 9	Ditto. Pan all white.	
		2 18 6	Fireclay cistern, 2 gallon. White.	
		3 6 9	Ditto. 3 gallon.	
		1 4 3	Painted cast iron medium county pattern, 2 gallon well bottom.	
		1 7 9	Ditto. 3 gallon.	
		0 5 3	Galvanized steel flushpipe.	

Page	Fig.	£	s.	d.	
5	C.390.	3	0	3	Pan and seat.
		3	5	3	Ditto. Pan all white.
		2	11	9	Pan only.
		2	16	9	All white pan only.
		2	18	6	Fireclay cistern, 2 gallon. White.
		3	6	9	Ditto. 3 gallon.
		1	4	3	Painted cast iron medium county pattern, 2 gallon well bottom.
		1	7	9	Ditto. 3 gallons.
		0	5	3	Galvanized steel flushpipe.
		2	13	9	Pan and pads.
54	C.392.	2	18	9	Ditto. Pan all white.
		2	15	9	Painted iron "Eton" cistern, 2 gallons.
		3	11	0	Glass enamelled inside, painted out ditto.
		3	12	9	Galvanized ditto.
					3 gallon prices on application.
		0	5	3	Galvanized steel flushpipe.
		0	7	6	Extra for galvanized tubular chain guide.
		2	5	0	Pan and pads.
		2	10	0	Ditto. Pan all white.
		2	18	6	Fireclay cistern, 2 gallon. White.
55	C.394.	3	6	9	Ditto. 3 gallon.
		1	4	3	Painted cast-iron medium county pattern, 2 gallon well bottom.
		1	7	9	Ditto. 3 gallon.
		0	5	3	Galvanized steel flushpipe.
		0	7	6	Extra for galvanized tubular chain guide.
		0	6	0	Extra for brass inspection cap.
		4	5	9	Pan and Seat.
		2	18	6	Fireclay cistern, 2 gallon. White.
		3	6	9	Ditto. 3 gallon.
		1	13	9	Galvanized iron medium county pattern, 2 gallon well bottom.
56	C.396.	1	19	0	Ditto. 3 gallon.
		0	5	3	Galvanized steel flushpipe.
		1	0	9	Brass ditto.
		1	2	6	White porcelain enamelled iron ditto.
		1	5	9	Nickel plated ditto.
		0	2	6	Extra for brass chain guide, with wall plate.
		0	3	6	Ditto. Nickel plated.
		0	2	6	Extra for nickel plating chain pull, seat hinges and cistern unions.
		2	1	0	Pan only, all white.
		1	16	0	Ditto. Cane and white.
57	C.398.	0	8	6	Seat, polished hardwood.
		0	11	0	Ditto. With back extension.
		0	12	6	Genuine mahogany.
		0	17	6	Ditto. With back extension.
		2	18	6	Fireclay cistern, 2 gallons. White.
		3	6	9	Ditto. 3 gallons.
		2	13	3	If cane glazed, 2 gallons.
		2	19	9	Ditto. 3 gallons.
		0	5	3	Galvanized steel flushpipe.
		1	0	9	Brass ditto.
		1	2	6	White porcelain enamelled iron ditto.
		1	5	9	Nickel plated ditto.

Page	Fig.	£ s. d.	
		0 2 6	Extra for brass chain guide with wall plate.
		0 3 6	Ditto. Nickel plated.
		0 2 6	Extra for nickel plating pull chain, seat hinges and cistern unions.
58	C.400.	1 16 0	Pan only, cane and white.
		2 1 9	Ditto. All white.
		1 12 6	Run of kiln quality, dozen lots C. & W.
		1 17 0	Ditto. All white.
		0 4 3	Unpolished hardwood seat with galvanized hinges.
		0 7 3	Seat extension and electro brass hinges.
		0 8 6	Polished hardwood seat.
		0 11 0	Ditto. With back extension.
		0 12 6	Genuine mahogany.
		0 17 6	Ditto. With back extension.
		2 18 6	Fireclay cistern, 2 gallon. White
		3 6 9	Ditto. 3 gallon.
		2 13 3	If cane glazed, 2 gallons.
		2 19 9	Ditto. 3 gallons.
		1 4 3	Painted cast iron medium county pattern, 2 gallon well bottom.
		1 7 9	Ditto. 3 gallon.
		1 13 9	Galvanized or glass enamelled iron medium county pattern, 2 gallon, well bottom.
		1 19 0	Ditto. 3 gallon.
59	C.402.	0 5 3	Galvanized steel flushpipe.
		2 3 0	Pan and pads, cane and white.
		2 8 0	Ditto. All white.
		1 18 9	Run of kiln quality, dozen lots C. & W.
		2 3 3	Ditto. All white.
		1 4 3	Painted cast iron medium County pattern, 2 gallon well bottom.
		1 7 9	Ditto. 3 gallon.
		1 13 9	Galvanized or glass enamelled iron medium county pattern, 2 gallon, well bottom.
		1 19 0	Ditto. 3 gallon.
		2 18 6	Fireclay cistern, 2 gallon. White.
		3 6 9	Ditto. 3 gallon.
		0 5 3	Galvanised steel flushpipe.
		0 9 3	If flushpipe bent to suit cistern on side wall.
60	C.406.	3 7 9	Pan and pads, all white.
	C.407.	3 16 0	Complete as specification.
		1 2 6	White porcelain enamelled steel flushpipe.
61	C.408.	3 0 9	Pan only.
		0 8 6	Seat.
		3 5 0	Fireclay cistern with brackets.
		0 5 3	Galvanized steel flushpipe.
	C.410.	3 16 3	Pan and seat.
		0 4 0	Extra if seat genuine mahogany.
		3 5 0	Fireclay cistern and brackets.
		0 5 3	Galvanized steel flushpipe.
62	C.430.	3 6 0	Fireclay pan only.
	C.432.	4 10 0	Cistern painted.
		6 6 0	White porcelain enamelled iron or white glazed fireclay.
		5 11 0	Glass enamelled.

Page	Fig.	£ s. d.	
	C.434.	2 1 0	Pan only, all white.
		0 8 6	Polished hardwood seat.
		0 12 6	Seat in genuine mahogany.
63	C.438.	3 0 6	Pan and seat.
	C.440.	10 0 0	Cistern complete.
	C.442.	2 1 0	Pan only.
		0 12 6	Genuine mahogany seat.
		1 15 9	Ditto. but with back extension and hinged cover, all as shewn
	C.444.	10 0 0	Cistern complete.
64	C.446.	4 15 6	Pan and weighted seat.
		2 16 9	Fireclay pan only.
	C.448.	6 5 0	Painted cistern complete.
		8 15 0	White porcelain enamelled.
	C.450.	1 16 0	Pan only, cane and white.
		2 1 0	Pan only, all white.
		0 8 6	Polished hardwood seat.
	C.452.	4 5 0	Cistern complete, painted.
		5 10 6	Cistern complete, galvanized.
65	C.453.	4 7 6	Pan, trap and seat.
	C.455.	6 6 0	Cistern complete.
	C.456.	3 7 9	Pan and pads.
	C.458.	4 5 0	Cistern complete, painted.
		6 3 6	White porcelain enamelled iron.
66	C.462.	6 17 3	Complete as specification.
		5 3 0	If with painted iron cistern.
		2 10 0	Pan only.
67	C.464.	2 9 0	All white.
		2 4 0	Cane and white.
	C.467.	3 9 9	Complete as specification all white.
		3 4 9	Ditto. Cane and white.
		0 1 6	Extra per pan for polished hardwood hinged seats and brass hinges in lieu of pads.
68	C.470.	2 13 0	All white.
		2 8 0	Cane and white.
	C.472.	2 18 9	Pan only, all white.
		2 13 9	Ditto. Cane and white.
		0 8 6	Polished hardwood seat and brass hinges.
	C.474.	3 15 0	Pan and lead trap only, all white.
		3 10 0	Ditto. Pan cane and white.
		0 8 6	Polished hardwood seat and brass hinges.
69	C.482.	2 8 0	Complete as specification, all white.
		2 1 6	Ditto. Cane and white.
	C.484.	2 5 0	30 in., White.
		2 1 3	24 in., White.
		1 18 3	30 in., Cane and white.
		1 13 0	24 in., Cane and white.
	C.486.	2 0 6	White.
		1 14 6	Cane.
70		4 1 0	Adams patent cast iron Epic Flushing Trough with stop ends, necessary ballvalves, unions, 2 or 3 gallon syphons, chains and pulls only. No flushpipes, guides or pans. Per person. For prices of pans, flushpipes, guides etc., see previous pages according to type required.

Page	Fig.	£ s. d.	
72	C.516.	7 6 9	Epic Trough in white glazed fireclay, Per person.
	C.518.	3 16 3	Pan and seat, all white.
	C.519.	30 0 0	Division as specified, per division.
	C.528.	12 2 9	Complete as described, except division per range of 2
73		15 6 3	Ditto. Per range of 3.
		18 5 0	Ditto. " " " 4.
		21 8 9	Ditto. " " " 5.
		24 12 0	Ditto. " " " 6.
		27 14 9	Ditto. " " " 7.
		30 17 6	Ditto. " " " 8.
			Ranges of 9 or over calculated as two ranges.
	C.530.	4 13 6	Division and leg.
	C.532.	11 12 9	Complete as described except division, per range of 2
		15 0 9	Ditto. Per range of 3.
		18 2 0	Ditto. " " " 4.
		21 8 3	Ditto. " " " 5.
		24 14 0	Ditto. " " " 6.
		27 19 3	Ditto. " " " 7.
74		31 4 6	Ditto. " " " 8.
		0 4 3	Extra for polished hardwood hinged seat and brass hinges in lieu of inserta seat pads. Per person
	C.534.	11 16 9	Pans having vertical inlets complete as described per range of 2.
		15 6 9	Ditto. Per range of 3.
		18 10 0	Ditto. " " " 4.
		21 18 3	Ditto. " " " 5.
		25 11 0	Ditto. " " " 6.
		28 11 3	Ditto. " " " 7.
		32 0 6	Ditto. " " " 8.
	C.536.	9 12 0	Division as shewn, including wood front post.
	C.538.		For prices of pans with pads and seat, see C.402 and C.400 types. Soil pipes not included.
			Prices of automatic flushing fittings on application.
	C.540.	12 4 9	Complete as described excepting division, per range of 2, up to 3 ft. centres.
75		15 2 9	Ditto. Per range of 3.
		17 19 6	Ditto. " " " 4.
		20 18 9	Ditto. " " " 5.
		24 3 0	Ditto. " " " 6.
		27 6 9	Ditto. " " " 7.
		29 17 9	Ditto. " " " 8.
		4 4 0	Extra for cane glazed fireclay division, size 42 ins. by 24 ins. Each.
	C.612.	37 10 0	Complete as specification, per range of 2, not including treads.
		16 18 0	Extra per stall.
			(For prices of treads see page 13).
78	C.614.	31 10 6	Complete as specification, per range of 2, not including treads or end pillars.
		15 4 0	Extra per stall.
		1 10 0	Extra for end pillars, each.
79			(For prices of treads see page 13).
	C.615.	27 2 3	Complete as specification, per range of 2, best white 3 ft. 6 ins. high to top of division, 3 ft. 0 ins. high to top of back, not including treads.
		13 0 0	Extra per stall.

Page	Fig.	£ s. d.	
	27 12 3		Complete as specification, per range of 2, best white 4 ft. 0 ins. high to top of division, 3 ft. 0 ins. high to top of back, not including treads.
	13 10 0		Extra per stall.
	28 15 9		Complete as specification, per range of 2, best white 4 ft. 0 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	13 16 9		Extra per stall.
	29 5 9		Complete as specification, per range of 2, best white 4 ft. 6 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	14 6 9		Extra per stall.
	1 13 6		Reduction if flusher painted cast iron and flush- pipes galvanized, per range of 2.
	0 9 0		Reduction per stall.
	21 8 3		Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 3 ft. 6 ins. high to top of division, 3 ft. 0 ins. high to top of back, not including treads
	10 7 9		Extra per stall.
	21 16 3		Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 4 ft. 0 ins. high to top of division, 3 ft. 0 ins. high to top of back not including treads.
	10 15 9		Extra per stall.
	22 14 9		Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 4 ft. 0 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	11 1 0		Extra per stall.
	23 2 9		Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 4 ft. 6 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	11 9 0		Extra per stall. (For prices of treads see page 13).
80	C.616. 27 12 3		Complete as specification, per range of 2, best white 4 ft. 0 ins. high to top of division, 3 ft. 0 ins. high to top of back, not including treads.
	13 10 0		Extra per stall.
	29 5 9		Complete as specification, per range of 2, best white 4 ft. 6 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	14 6 9		Extra per stall.
	31 18 9		Complete as specification, per range of 2, best white 5 ft. 0 ins. high to top of division, 4 ft. 0 ins. high to top of back, not including treads.
	15 13 3		Extra per stall.
	1 13 6		Reduction if flusher painted cast iron and flush- pipes galvanized, per range of 2.
	0 9 0		Reduction per stall.

Page	Fig.	£ s. d.	
	21	16 3	Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 4 ft. 0 ins. high to top of division, 3 ft. 0 ins. high to top of back, not including treads.
	10	15 9	Extra per stall.
	23	2 9	Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 4 ft. 6 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	11	9 0	Extra per stall.
	25	5 3	Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 5 ft. 0 ins. high to top of division, 4 ft. 0 ins. high to top of back not including treads.
	12	10 3	Extra per stall. (For prices of treads see page 13).
81	C.618.	27 2 3	Complete as specification, per range of 2, best white 3 ft. 6 ins. high to top of division, 3 ft. 0 ins. high to top of back, not including treads.
	13	0 0	Extra per stall.
	28	15 9	Complete as specification, per range of 2, best white 4 ft. 0 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	13	16 9	Extra per stall.
	31	8 9	Complete as specification, per range of 2, best white 4 ft. 6 ins. high to top of division, 4 ft. 0 ins. high to top of back, not including treads.
	15	3 3	Extra per stall.
	1	13 6	Reduction if flusher painted cast iron and flush-pipes galvanized, per range of 2.
	0	9 0	Reduction per stall.
	21	8 3	Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 3 ft. 6 ins. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	10	7 9	Extra per stall.
	22	14 9	Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 4 ft. high to top of division, 3 ft. 6 ins. high to top of back, not including treads.
	11	1 0	Extra per stall.
	24	17 3	Complete as specification, per range of 2, cane glazed, painted cast iron automatic flusher and galvanized pipes, 4 ft. 6 ins. high to top of division, 4 ft. 0 ins. high to top of back, not including treads.
	12	2 3	Extra per stall. (For prices of treads see page 13).

Page	Fig.	£ s. d.	
			TREADS FOR FIG. C.612, C.614, C.615, C.616, C.618, C.624 and C.626 URINALS.—
		0 16 0	5 in. Cane, per range of 2.
		0 8 0	Extra per stall.
		1 12 0	9 in. Cane, per range of 2.
		0 16 0	Extra per stall.
		1 0 0	5 in. White, per range of 2.
		0 10 0	Extra per stall.
		2 0 0	9 in. White, per range of 2.
		1 0 0	Extra per stall.
		4 0 0	9 in. White Mosaic, per range of 2.
		2 0 0	Extra per stall.
82	C.619.		FLOOR TREADS—
		0 16 0	5 in Cane, per range of 2.
		0 8 0	Extra per stall.
		1 0 0	5 in. White, per range of 2.
		0 10 0	Extra per stall.
	C.621.	1 10 0	Cast iron trap.
83	C.623.	28 5 9	Complete as specification, best white, per twin stall, with flusher, grating and trap.
		24 7 3	Cane glazed.
84	C.624.	24 7 6	Complete as specification, white, per range of 2, 3 ft. 6 ins. high, not including treads.
		9 7 3	Extra per stall.
		29 11 0	Complete as specification, white, per range of 2, 4 ft. 6 ins. high, not including treads.
		11 16 9	Extra per stall.
		1 13 6	Reduction if flusher painted cast iron and flush-pipes galvanized, per range of 2.
		0 9 0	Reduction per stall.
		19 2 0	Complete as specification, cane, per range of 2, 3 ft. 6 ins. high, with painted cast iron automatic flusher and galvanized pipes, not including treads.
		7 7 0	Extra per stall.
		23 4 5	Complete as specification, cane, per range of 2, 4 ft. 6 ins. high, with painted cast iron automatic flusher and galvanized pipes, not including treads.
		9 6 5	Extra per stall.
			(For prices of treads see page 13).
85	C.626.	19 16 9	Complete as specification, white, 3 ft. 6 ins. high, per 4 ft. 0 in. run, with painted cast iron flusher and galvanized pipes, not including treads.
		3 0 6	Extra per foot.
		23 17 9	Complete as specification, white, 4 ft. 6 ins. high, per 4 ft. 0 in. run, with painted cast iron flusher and galvanized pipes, not including treads.
		3 14 0	Extra per foot.
		1 13 6	Extra if flusher in white fireclay and pipes in brass or copper, per 4 ft. 0 in. run.
		0 4 6	Extra per foot.

Page	Fig.	£ s. d.	
86	C.630.	16 16 3	Complete as specification, cane, 3 ft. 6 ins. high, per 4 ft. 0 in. run, with painted cast iron flusher and galvanized pipes, not including treads.
		2 10 9	Extra per foot.
		20 0 9	Complete as specification, cane, 4 ft. 6 ins. high, per 4 ft. 0 ins. run, with painted cast iron flusher and galvanized pipes, not including treads.
		3 1 6	Extra per foot.
			(For prices of treads see page 13).
		8 0 0	Complete as specification, white, 3 ft. 0 in. high by 1 ft. 6 ins. wide, no fittings or treads.
		10 3 6	Complete as specification, white, 3 ft. 6 ins high by 2 ft. 0 ins. wide, no fittings or treads.
		11 10 0	Complete as specification, white, 4 ft. 0 in. high by 2 ft. 0 in. wide, no fittings or treads.
		6 8 0	Complete as specification, cane, 3 ft. 0 in. high by 1 ft. 6 ins. wide, no fittings or treads.
		8 2 9	Complete as specification, cane, 3 ft. 6 ins. high by 2 ft. 0 in. wide, no fittings or treads.
		9 4 0	Complete as specification, cane, 4 ft. 0 in. high by 2 ft. 0 in. wide, no fittings or treads.
	C.633.		(For prices of treads see below)
		10 3 6	Complete as specification, white, 3 ft. 6 ins. high, no fittings or treads.
		12 5 0	Complete as specification, white, 4 ft. 0 in. high, no fittings or treads.
		8 2 9	Complete as specification, cane, 3 ft. 6 ins. high, no fittings or treads.
	C.634.	9 16 0	Complete as specification, cane, 4 ft. 0 in. high, no fittings or treads.
			(For prices of treads see below).
		5 0 9	Complete as specification, white fireclay flusher and brass pipes.
		3 16 6	Complete as specification, painted iron automatic flusher and galvanized pipes.
			TREADS FOR FIG. C.630 and C.633 URINALS—
		0 7 0	5 in. Cane.
		0 14 0	9 in. Cane.
		0 10 0	5 in. White.
		1 0 0	9 in. White.
		2 0 0	9 in. Mosaic.
			DISHED TREAD AS SHEWN WITH C.633—
		0 16 0	5 in. Cane, per range of 2.
		0 8 0	Extra per stall.
		1 0 0	5 in. White, per range of 2.
		0 10 0	Extra per stall.
87	C.636.	2 1 9	Complete as specification, White.
		1 13 9	Complete as specification, Cane.
	C.638.	2 16 0	Complete as specification, White.
		2 5 0	Complete as specification, Cane.

Page	Fig.	£ s. d.	
	C.640.	5 0 0	Complete as specification, White no cistern or flushpipe.
88	C.678.	11 0 0	Bed pan washer complete with pad and brackets 26 ins.
		8 18 0	Ditto. 24 ins.
		10 0 0	Bed pan washer without pad or brackets, 26 ins.
		8 0 0	Ditto. 24 ins.
	C.680.	2 6 3	2 Gallons.
		3 8 6	3 "
	C.682.	9 13 0	Gunmetal.
		10 9 0	Nickel plated.
	C.684.	9 0 0	Bed pan washer with pad and brackets.
		8 0 0	Without pad or brackets.
	C.686.	3 3 9	2 Gallons.
		3 6 0	3 "
	C.688.	4 0 6	Gunmetal.
		4 10 0	Nickel plated.
89	C.690.	27 12 6	Complete as specification.
		20 0 0	Without fittings, fireclay only.
	C.686.	3 3 9	2 Gallons.
		3 6 0	3 "
	C.692.	8 1 6	Drainer fittings, etc.
		4 17 6	Fireclay drainer only.
	C.694.	40 7 6	Complete as specification, 6 ft. 6 ins.
		30 17 6	Complete as specification, 6 ft.
90	C.696.	11 16 0	Complete as specification, 30 ins.
		6 2 0	Fireclay only, sink and drainer.
		16 12 6	Complete as specification, 36 ins.
		10 14 9	Fireclay only, sink and drainer.
	C.698.	21 8 0	Complete as specification.
	C.700.	8 14 0	Complete as specification.
		8 0 0	Fireclay only, i.e., without pad and brackets.
	C.702.	7 6 0	Complete as specification.
		5 10 0	Fireclay only, i.e., without pads or grating.
	C.704.	15 6 0	Complete as specification.
		8 0 0	Fireclay only, i.e., no pad or fittings.
	C.705.	2 19 0	Gunmetal.
		3 4 3	Nickel plated.
92	C.706.	11 6 0	Complete as specification, 42 ins.
		13 0 6	" " 48 ins.
	C.708.	5 1 0	" " 24 ins.
		5 19 6	" " 27 ins.
		7 3 0	" " 30 ins.
		11 14 6	" " 36 ins.
	C.710.	7 6 9	" " White, 36 ins.
		9 12 6	" " 42 ins. Roll edge.
		12 9 9	" " 48 ins.
		4 17 9	Complete as specification, Cane and "white," plain edge, no pad, 36 ins.
		6 2 0	Ditto. All white.
		6 12 9	Ditto. Cane and white, 42 ins.
		8 5 9	Ditto. All white.
		8 13 9	Cane and white, 48 ins.
		10 17 0	Ditto. All white, "

Page	Fig.	£ s. d.																																																																																																																																																																																										
	C.712.	8 7 6	Complete as specification, white, roll edge, 36 ins.																																																																																																																																																																																									
		11 2 3	" " " " 42 ins.																																																																																																																																																																																									
		14 9 6	" " " " 48 ins.																																																																																																																																																																																									
		5 18 6	Complete as specification, cane and white, plain edge, no pad, 36 ins.																																																																																																																																																																																									
		7 2 9	Ditto. All white, "																																																																																																																																																																																									
		8 2 6	Ditto. Cane and white, 42 ins.																																																																																																																																																																																									
		9 15 6	Ditto. All white, "																																																																																																																																																																																									
		10 13 6	Ditto. Cane and white, 48 ins.																																																																																																																																																																																									
		12 16 9	Ditto. All white, "																																																																																																																																																																																									
	C.714.	1 5 9	20×18×6 ins, per pedestal.																																																																																																																																																																																									
		1 8 9	22×18×6 ins. " "																																																																																																																																																																																									
		1 11 0	24×18×6 ins. " "																																																																																																																																																																																									
94	C.716.		Add 20s. to any size of London or Belfast pattern sink.																																																																																																																																																																																									
94	C.718.		BELFAST SINKS.																																																																																																																																																																																									
			<table><tr><td></td><td>Cane.</td><td>Cane & White.</td><td>All White.</td><td>Roll Edge AllWhite</td></tr><tr><td></td><td>£ s. d.</td><td>£ s. d.</td><td>£ s. d.</td><td>£ s. d.</td></tr><tr><td>24×16× 7 ins.</td><td>1 7 9</td><td>1 14 9</td><td>2 2 9</td><td>2 6 9</td></tr><tr><td>24×18× 7 ins.</td><td>1 11 0</td><td>1 18 9</td><td>2 7 9</td><td>2 11 9</td></tr><tr><td>27×18× 7 ins.</td><td>1 14 9</td><td>2 3 0</td><td>2 13 0</td><td>2 17 0</td></tr><tr><td>30×18× 7 ins.</td><td>1 17 9</td><td>2 7 0</td><td>2 18 0</td><td>3 2 0</td></tr><tr><td>30×20× 7 ins.</td><td>2 1 9</td><td>2 12 0</td><td>3 4 9</td><td>3 8 9</td></tr><tr><td>36×18× 7 ins.</td><td>2 4 9</td><td>2 16 0</td><td>3 9 9</td><td>3 16 6</td></tr><tr><td>36×20× 7 ins.</td><td>2 9 9</td><td>3 2 0</td><td>3 17 0</td><td>4 3 9</td></tr><tr><td>36×24× 7 ins.</td><td>3 13 9</td><td>4 3 9</td><td>5 3 9</td><td>5 10 6</td></tr><tr><td>42×20× 7 ins.</td><td>3 11 9</td><td>4 1 9</td><td>5 1 0</td><td>5 9 9</td></tr><tr><td>42×24× 7 ins.</td><td>4 5 9</td><td>4 17 0</td><td>6 0 9</td><td>6 9 6</td></tr><tr><td>48×24× 7 ins.</td><td>4 17 0</td><td>5 10 9</td><td>6 17 9</td><td>7 6 6</td></tr><tr><td>18×15× 8 ins.</td><td>1 3 0</td><td>1 8 9</td><td>1 14 9</td><td>1 18 9</td></tr><tr><td>24×16× 8 ins.</td><td>1 11 0</td><td>1 18 9</td><td>2 7 9</td><td>2 11 9</td></tr><tr><td>24×18× 8 ins.</td><td>1 15 0</td><td>2 3 9</td><td>2 13 9</td><td>2 17 9</td></tr><tr><td>27×18× 8 ins.</td><td>1 18 9</td><td>2 8 0</td><td>2 19 9</td><td>3 3 9</td></tr><tr><td>27×20× 8 ins.</td><td>2 2 9</td><td>2 13 9</td><td>3 6 0</td><td>3 10 0</td></tr><tr><td>30×18× 8 ins.</td><td>2 2 9</td><td>2 13 9</td><td>3 6 0</td><td>3 10 0</td></tr><tr><td>30×20× 8 ins.</td><td>2 7 0</td><td>2 19 0</td><td>3 13 0</td><td>3 17 0</td></tr><tr><td>36×18× 8 ins.</td><td>2 10 9</td><td>3 3 9</td><td>3 18 9</td><td>4 5 6</td></tr><tr><td>36×24× 8 ins.</td><td>4 3 9</td><td>4 15 0</td><td>5 18 0</td><td>6 4 9</td></tr><tr><td>42×24× 8 ins.</td><td>4 17 0</td><td>5 10 9</td><td>6 17 9</td><td>7 6 6</td></tr><tr><td>48×24× 8 ins.</td><td>5 14 9</td><td>6 10 0</td><td>8 2 0</td><td>8 10 9</td></tr><tr><td>18×18×10 ins.</td><td>1 13 0</td><td>2 1 0</td><td>2 10 9</td><td>2 14 9</td></tr><tr><td>21×16×10 ins.</td><td>1 14 0</td><td>2 2 9</td><td>2 12 9</td><td>2 16 9</td></tr><tr><td>21×18×10 ins.</td><td>1 17 9</td><td>2 7 0</td><td>2 18 0</td><td>3 2 0</td></tr><tr><td>24×16×10 ins.</td><td>1 18 9</td><td>2 8 0</td><td>2 19 9</td><td>3 3 9</td></tr><tr><td>24×18×10 ins.</td><td>2 2 9</td><td>2 13 9</td><td>3 6 0</td><td>3 10 0</td></tr><tr><td>27×18×10 ins.</td><td>2 7 9</td><td>3 0 0</td><td>3 14 9</td><td>3 18 9</td></tr><tr><td>30×18×10 ins.</td><td>2 12 9</td><td>3 6 0</td><td>4 2 0</td><td>4 6 0</td></tr><tr><td>30×20×10 ins.</td><td>3 13 0</td><td>4 3 0</td><td>5 3 0</td><td>5 7 0</td></tr><tr><td>36×18×10 ins.</td><td>3 18 9</td><td>4 9 9</td><td>5 11 0</td><td>5 17 9</td></tr><tr><td>36×20×10 ins.</td><td>4 7 0</td><td>4 19 0</td><td>6 3 0</td><td>6 9 9</td></tr><tr><td>36×24×10 ins.</td><td>5 4 0</td><td>5 18 9</td><td>7 7 9</td><td>7 14 6</td></tr><tr><td>42×24×10 ins.</td><td>6 5 0.</td><td>7 1 9</td><td>8 16 0</td><td>9 4 9</td></tr><tr><td>48×24×10 ins.</td><td>7 2 9</td><td>8 1 9</td><td>10 1 0</td><td>10 9 9</td></tr></table>		Cane.	Cane & White.	All White.	Roll Edge AllWhite		£ s. d.	£ s. d.	£ s. d.	£ s. d.	24×16× 7 ins.	1 7 9	1 14 9	2 2 9	2 6 9	24×18× 7 ins.	1 11 0	1 18 9	2 7 9	2 11 9	27×18× 7 ins.	1 14 9	2 3 0	2 13 0	2 17 0	30×18× 7 ins.	1 17 9	2 7 0	2 18 0	3 2 0	30×20× 7 ins.	2 1 9	2 12 0	3 4 9	3 8 9	36×18× 7 ins.	2 4 9	2 16 0	3 9 9	3 16 6	36×20× 7 ins.	2 9 9	3 2 0	3 17 0	4 3 9	36×24× 7 ins.	3 13 9	4 3 9	5 3 9	5 10 6	42×20× 7 ins.	3 11 9	4 1 9	5 1 0	5 9 9	42×24× 7 ins.	4 5 9	4 17 0	6 0 9	6 9 6	48×24× 7 ins.	4 17 0	5 10 9	6 17 9	7 6 6	18×15× 8 ins.	1 3 0	1 8 9	1 14 9	1 18 9	24×16× 8 ins.	1 11 0	1 18 9	2 7 9	2 11 9	24×18× 8 ins.	1 15 0	2 3 9	2 13 9	2 17 9	27×18× 8 ins.	1 18 9	2 8 0	2 19 9	3 3 9	27×20× 8 ins.	2 2 9	2 13 9	3 6 0	3 10 0	30×18× 8 ins.	2 2 9	2 13 9	3 6 0	3 10 0	30×20× 8 ins.	2 7 0	2 19 0	3 13 0	3 17 0	36×18× 8 ins.	2 10 9	3 3 9	3 18 9	4 5 6	36×24× 8 ins.	4 3 9	4 15 0	5 18 0	6 4 9	42×24× 8 ins.	4 17 0	5 10 9	6 17 9	7 6 6	48×24× 8 ins.	5 14 9	6 10 0	8 2 0	8 10 9	18×18×10 ins.	1 13 0	2 1 0	2 10 9	2 14 9	21×16×10 ins.	1 14 0	2 2 9	2 12 9	2 16 9	21×18×10 ins.	1 17 9	2 7 0	2 18 0	3 2 0	24×16×10 ins.	1 18 9	2 8 0	2 19 9	3 3 9	24×18×10 ins.	2 2 9	2 13 9	3 6 0	3 10 0	27×18×10 ins.	2 7 9	3 0 0	3 14 9	3 18 9	30×18×10 ins.	2 12 9	3 6 0	4 2 0	4 6 0	30×20×10 ins.	3 13 0	4 3 0	5 3 0	5 7 0	36×18×10 ins.	3 18 9	4 9 9	5 11 0	5 17 9	36×20×10 ins.	4 7 0	4 19 0	6 3 0	6 9 9	36×24×10 ins.	5 4 0	5 18 9	7 7 9	7 14 6	42×24×10 ins.	6 5 0.	7 1 9	8 16 0	9 4 9	48×24×10 ins.	7 2 9	8 1 9	10 1 0	10 9 9
	Cane.	Cane & White.	All White.	Roll Edge AllWhite																																																																																																																																																																																								
	£ s. d.	£ s. d.	£ s. d.	£ s. d.																																																																																																																																																																																								
24×16× 7 ins.	1 7 9	1 14 9	2 2 9	2 6 9																																																																																																																																																																																								
24×18× 7 ins.	1 11 0	1 18 9	2 7 9	2 11 9																																																																																																																																																																																								
27×18× 7 ins.	1 14 9	2 3 0	2 13 0	2 17 0																																																																																																																																																																																								
30×18× 7 ins.	1 17 9	2 7 0	2 18 0	3 2 0																																																																																																																																																																																								
30×20× 7 ins.	2 1 9	2 12 0	3 4 9	3 8 9																																																																																																																																																																																								
36×18× 7 ins.	2 4 9	2 16 0	3 9 9	3 16 6																																																																																																																																																																																								
36×20× 7 ins.	2 9 9	3 2 0	3 17 0	4 3 9																																																																																																																																																																																								
36×24× 7 ins.	3 13 9	4 3 9	5 3 9	5 10 6																																																																																																																																																																																								
42×20× 7 ins.	3 11 9	4 1 9	5 1 0	5 9 9																																																																																																																																																																																								
42×24× 7 ins.	4 5 9	4 17 0	6 0 9	6 9 6																																																																																																																																																																																								
48×24× 7 ins.	4 17 0	5 10 9	6 17 9	7 6 6																																																																																																																																																																																								
18×15× 8 ins.	1 3 0	1 8 9	1 14 9	1 18 9																																																																																																																																																																																								
24×16× 8 ins.	1 11 0	1 18 9	2 7 9	2 11 9																																																																																																																																																																																								
24×18× 8 ins.	1 15 0	2 3 9	2 13 9	2 17 9																																																																																																																																																																																								
27×18× 8 ins.	1 18 9	2 8 0	2 19 9	3 3 9																																																																																																																																																																																								
27×20× 8 ins.	2 2 9	2 13 9	3 6 0	3 10 0																																																																																																																																																																																								
30×18× 8 ins.	2 2 9	2 13 9	3 6 0	3 10 0																																																																																																																																																																																								
30×20× 8 ins.	2 7 0	2 19 0	3 13 0	3 17 0																																																																																																																																																																																								
36×18× 8 ins.	2 10 9	3 3 9	3 18 9	4 5 6																																																																																																																																																																																								
36×24× 8 ins.	4 3 9	4 15 0	5 18 0	6 4 9																																																																																																																																																																																								
42×24× 8 ins.	4 17 0	5 10 9	6 17 9	7 6 6																																																																																																																																																																																								
48×24× 8 ins.	5 14 9	6 10 0	8 2 0	8 10 9																																																																																																																																																																																								
18×18×10 ins.	1 13 0	2 1 0	2 10 9	2 14 9																																																																																																																																																																																								
21×16×10 ins.	1 14 0	2 2 9	2 12 9	2 16 9																																																																																																																																																																																								
21×18×10 ins.	1 17 9	2 7 0	2 18 0	3 2 0																																																																																																																																																																																								
24×16×10 ins.	1 18 9	2 8 0	2 19 9	3 3 9																																																																																																																																																																																								
24×18×10 ins.	2 2 9	2 13 9	3 6 0	3 10 0																																																																																																																																																																																								
27×18×10 ins.	2 7 9	3 0 0	3 14 9	3 18 9																																																																																																																																																																																								
30×18×10 ins.	2 12 9	3 6 0	4 2 0	4 6 0																																																																																																																																																																																								
30×20×10 ins.	3 13 0	4 3 0	5 3 0	5 7 0																																																																																																																																																																																								
36×18×10 ins.	3 18 9	4 9 9	5 11 0	5 17 9																																																																																																																																																																																								
36×20×10 ins.	4 7 0	4 19 0	6 3 0	6 9 9																																																																																																																																																																																								
36×24×10 ins.	5 4 0	5 18 9	7 7 9	7 14 6																																																																																																																																																																																								
42×24×10 ins.	6 5 0.	7 1 9	8 16 0	9 4 9																																																																																																																																																																																								
48×24×10 ins.	7 2 9	8 1 9	10 1 0	10 9 9																																																																																																																																																																																								

Page

94

	Cane.	Cane & White.	All White.	Roll Edge All White.
	£ s. d.	£ s. d.	£ s. d.	£ s. d.
36×24×12 ins.	6 8 9	7 5 9	9 1 0	9 7 9
39×24×12 ins.	6 19 0	7 17 9	9 16 0	10 4 9
42×24×12 ins.	7 9 0	8 9 9	10 11 0	10 19 9
48×24×12 ins.	8 10 0	9 13 0	12 0 9	12 9 9

C.719.

LONDON SINKS.

	Cane.	Cane & White.	All White.	Roll Edge All White.
	£ s. d.	£ s. d.	£ s. d.	£ s. d.
17×13× 5 ins.	0 10 0	0 13 0	0 16 0	1 0 0
20×15× 5 ins.	0 14 0	0 18 0	1 2 9	1 6 9
20×16× 5 ins.	0 14 9	0 18 9	1 3 0	1 7 0
24×16× 5 ins.	0 17 9	1 2 9	1 8 0	1 12 0
24×18× 5 ins.	1 0 0	1 5 0	1 11 9	1 15 9
30×18× 5 ins.	1 4 9	1 11 9	1 19 9	2 3 9
36×18× 5 ins.	1 10 0	1 18 0	2 7 9	2 14 6
36×20× 5 ins.	1 13 0	2 2 0	2 12 9	2 19 6
20×15× 6 ins.	0 16 9	1 1 0	1 6 9	1 10 9
24×16× 6 ins.	1 1 0	1 7 0	1 14 0	1 18 0
24×18× 6 ins.	1 3 9	1 10 0	1 18 0	2 2 0
27×18× 6 ins.	1 7 0	1 14 0	2 2 9	2 6 9
30×18× 6 ins.	1 10 0	1 18 0	2 7 9	2 11 9
30×20× 6 ins.	1 13 0	2 2 0	2 12 9	2 16 9
36×18× 6 ins.	1 15 9	2 5 0	2 16 9	3 3 6
36×20× 6 ins.	1 19 9	2 10 9	3 3 0	3 9 9
36×24× 6 ins.	2 7 9	3 0 9	3 15 9	4 2 6
42×20× 6 ins.	2 6 9	2 19 0	3 14 0	4 2 9
42×24× 6 ins.	3 10 9	4 0 9	5 0 9	5 9 6
48×24× 6 ins.	4 0 9	4 12 0	5 15 0	6 3 9
20×15× 7 ins.	0 19 9	1 4 9	1 10 9	1 14 9
24×16× 7 ins.	1 4 9	1 11 9	1 19 9	2 3 9
24×18× 7 ins.	1 18 0	1 15 9	2 4 9	2 8 9
27×18× 7 ins.	1 11 9	2 0 0	2 10 0	2 14 0
30×18× 7 ins.	1 14 9	2 4 0	2 15 0	2 19 0
30×20× 7 ins.	1 18 9	2 9 0	3 1 9	3 5 9
36×18× 7 ins.	2 1 9	2 13 0	3 6 9	3 13 6
36×24× 7 ins.	3 10 9	4 0 9	5 0 9	5 7 6
42×20× 7 ins.	3 8 9	3 18 9	4 18 0	5 7 6
42×24× 7 ins.	4 2 9	4 14 0	5 17 9	6 6 6
48×24× 7 ins.	4 14 0	5 7 9	6 14 9	7 3 6
18×15× 8 ins.	1 0 0	1 5 9	1 11 9	1 15 9
24×16× 8 ins.	1 8 0	1 15 9	2 4 9	2 8 9
24×18× 8 ins.	1 12 0	2 0 9	2 10 9	2 14 9
27×18× 8 ins.	1 15 9	2 5 0	2 16 9	3 0 9
30×18× 8 ins.	1 19 9	2 10 9	3 3 0	3 4 9
36×18× 8 ins.	2 7 9	3 0 9	3 15 9	4 2 6
36×20× 8 ins.	3 7 9	3 17 0	4 16 9	5 3 6
36×24× 8 ins.	4 0 9	4 12 0	5 15 6	6 1 9
48×24× 8 ins.	5 11 9	6 7 0	7 19 0	8 7 9
21×18×10 ins.	1 14 9	2 4 0	2 15 0	2 19 0
24×16×10 ins.	1 15 9	2 5 0	2 16 9	3 0 9
24×18×10 ins.	1 19 9	2 10 9	3 3 0	3 4 9
24×20×10 ins.	2 4 0	2 16 0	3 10 0	3 14 0
27×18×10 ins.	2 4 9	2 17 0	3 11 9	3 15 9
27×20×10 ins.	2 9 9	3 3 0	3 19 0	4 3 0
30×18×10 ins.	2 9 9	3 3 0	3 19 0	4 3 0
30×20×10 ins.	3 10 0	4 0 0	5 0 0	5 4 0
36×18×10 ins.	3 15 9	4 6 9	5 8 0	5 14 9

Page

		Cane.	Cane & White.	All White.	Roll Edge All White.
		£ s. d.	£ s. d.	£ s. d.	£ s. d.
	36×20×10 ins.	4 4 0	4 16 0	6 0 0	6 6 9
	36×24×10 ins.	5 1 0	5 15 9	7 4 9	7 11 6
	42×24×10 ins.	6 2 0	6 18 9	8 13 0	9 1 9
	48×24×10 ins.	6 19 9	7 18 9	9 18 0	10 6 9
	36×24×12 ins.	6 5 9	7 2 9	8 18 0	9 4 9
	42×24×12 ins.	7 6 0	8 6 9	10 8 0	10 16 9
	48×24×12 ins.	8 7 0	9 10 0	11 17 9	12 6 6
C.720.	Angle Sink.		Cane	Cane & White.	All White.
	22×16× 5 ins.	0 16 0	1 0 9	1 3 9
	24×18× 5 ins.	1 0 0	1 5 0	1 9 0
	28×20× 5 ins.	1 5 9	1 12 9	1 17 9
	34×24× 6 ins.	2 5 0	2 17 0	3 6 0
C.722.	Krator Sink.				
	27×18× 7 ins.	2 2 8	2 9 6	2 17 9
	30×18× 7 ins.	2 5 1	2 12 10	3 2 0
	36×20× 7 ins.	2 15 0	3 5 2	3 17 7
	42×20× 7 ins.	3 13 2	4 1 5	4 17 5
C.724.	Krator Supports, per set				1 18 9
96 C.726.	Laboratory Sinks with Roll Edge				
	24×15× 7×13 ins.	2 2 9	2 9 0	2 17 0
	12× 9× 7×13 ins.	1 8 6	1 11 3	1 14 3
	16×12× 7×13 ins.	1 13 0	1 17 0	2 1 9
	18×14× 8×13 ins.	1 14 3	1 19 3	2 5 3
C.728.	12× 9× 5× 8 ins.	0 13 9	0 16 3	0 19 0
	12× 9× 7×13 ins.	1 8 6	1 11 3	1 14 3
	18×10× 6×12 ins.	1 4 6	1 7 6	1 10 6
C.730.	17×13× 6 ins.	0 13 9	0 17 0	0 19 9
	22×16× 9 ins.	1 11 0	1 19 9	2 5 0
	15×11× 6 ins.	0 9 9	0 12 0	0 14 0
C.732.	16×12× 7×22 ins.	2 5 9	2 9 9	2 14 6
C.734.	12× 9× 7×22 ins.	2 1 3	2 4 0	2 7 0
C.736.	16×16× 7×22 ins.	2 9 6	2 14 6	2 19 9
C.738.	12×12× 7 ins.	0 10 0	0 13 0	0 16 0
	15×15× 9 ins.	0 19 9	1 4 9	1 10 9
	24×15× 7 ins.	1 3 9	1 10 0	1 18 0
C.740.	Wash Tub, no fittings	5 19 0
C.742.	" " 24 ins.	7 6 0
	" " 27 ins.	8 2 0
	" " 30 ins.	10 5 0
C.744.	" " 24 ins.	5 7 0
	" " 27 ins.	6 1 0
	" " 30 ins.	8 1 0

FITTINGS FOR C.706 TO C.744.

0 16 0	$\frac{1}{2}$ in. Gunmetal hot and cold screw-down bib taps with wall plates and exposed union, per pair.
1 4 0	$\frac{3}{4}$ in. Ditto.
0 18 0	If "Easy-clean" type, $\frac{1}{2}$ in.
1 8 0	If "Easy-clean" type, $\frac{3}{4}$ in.
0 4 0	Extra for nickel plating taps, per pair.
0 5 0	$1\frac{1}{2}$ in. Waste-fitting, comprising vulcanite plug, brass chain, stay, seating and union, each.

Page	Fig.	£ s. d.	
		0 1 0	Extra for nickel plating waste fitting.
		0 6 0	Painted cast iron brackets for sinks up to 18 ins. wide, per pair.
		0 17 0	White porcelain enamelled ditto.
		0 8 0	Painted cast iron brackets for sinks above 18 ins. wide, per pair.
		1 0 0	White porcelain enamelled ditto.
98	C.758.	41 7 6	Complete, bath unglazed outside, shower and curtain, brass fittings.
		2 5 0	Extra for nickel plated fittings.
		21 15 0	Bath only, no fittings.
99	C.760.	24 5 9	Bath unglazed outside, complete with brass fittings.
		0 10 0	Extra for nickel plated fittings.
	C.767.	8 0 6	Complete as described.
		4 19 9	Fireclay only.
	C.769.	27 17 6	Complete as described.
		12 17 6	Fireclay only.
		3 10 0	Extra for mahogany horse-shoe seat and nickel-plated support.
100	C.772.	36 6 6	Bath complete as illustrated except curtain rod and curtain with brass fittings.
		1 5 0	Extra for nickel plated fittings.
		8 0 6	Extra for curtain ring and curtain brass fittings.
		0 16 6	Extra for nickel plated.
101	C.774.		No fittings.
		30 9 0	A.
		30 9 0	B.
		34 15 0	C.
		26 2 6	D.
		39 1 0	E.
		43 6 0	F.
		3 11 0	Fittings comprising $\frac{3}{4}$ in. nickel plate "Easy-clean" taps, nickel plated waste-fittings with glass lined trap nickel plated overflow, per set.
102	C.876.	19 11 6	Complete, brass fittings.
		19 18 0	Complete, nickel plated fittings.
		20 5 0	Complete, white metal fittings.
		19 17 9	If taps, overflow and waste, white porcelain enamelled.
	C.882.	8 5 0	Inside sizes 4 ft. 9 ins. \times 1 ft. 10 ins. \times 1 ft. 5 ins. deep, overall 5 ft. 2 ins. \times 2 ft. 3 ins. with $2\frac{1}{2}$ ins. roll, no fittings.
103	C.888.	7 16 6	5 ft. 0 ins., no fittings.
		8 10 6	5 ft. 6 ins., no fittings.

FITTINGS FOR C.882 and C.888—

1	1	0	$\frac{3}{4}$ in. Hot and cold "Easy-clean" globe taps, polished gunmetal, per pair.
1	4	6	Nickel plated, per pair.
1	8	0	Pillar taps, polished gunmetal.
1	11	6	Pillar taps, nickel plated.
0	2	0	$1\frac{1}{4}$ in. Overflow, polished gunmetal.
0	2	6	$1\frac{1}{4}$ in. Overflow, nickel plated.
0	15	0	Plug and chain waste with glass lined trap, polished gunmetal
0	16	6	Ditto. Nickel plated.

Page	Fig.	£ s. d.	
	C.892.	11 19 0	Complete as specification.
		1 9 6	Extra for $\frac{3}{4}$ in. screwdown pillar taps, per pair
		1 7 6	Extra for $\frac{3}{4}$ in. polished brass pillar taps, per pair.
		1 10 0	Extra for ditto. nickel plated.
104	C.920.	7 10 0	Fittings only as described, no fireclay, per stall.
	C.921.	8 10 0	Fittings only as described, no fireclay, per stall.
	C.922.	7 15 0	Fittings only as described, no fireclay, per stall
	C.924.	4 13 6	Each division and leg.
	C.926.	1 12 0	Each footbath.
		0 6 6	Extra, brass waste and union, each
105	C.908.	10 0 0	As described, brass.
	C.909.	10 10 0	As „ nickel plated.
	C.910.	3 6 6	As „ brass.
		3 12 0	As „ nickel plated.
	C.914.	7 6 0	As „ brass.
		8 6 0	As „ nickel plated.
	C.916.	2 16 0	As „ brass.
		3 2 0	As „ nickel plated.
	C.918.	0 18 0	As „ brass.
		1 1 0	As „ nickel plated.
106	C.944.	4 14 9	10 Gallons.
		5 0 9	15 „
		5 6 6	20 „
		5 11 6	25 „
		5 18 6	30 „
		6 10 9	40 „
		7 2 3	50 „
		7 13 6	60 „
		8 4 6	70 „
		8 18 3	80 „
		9 9 6	100 „
		0 6 6	Extra for regulating drip tap with loose key
	C.946.	7 10 0	15 gallons. Lid not included.
		7 19 0	20 „ „ „
		8 17 0	30 „ „ „
		10 13 6	50 „ „ „
		14 14 0	100 „ „ „
107	C.956.	9 10 0	Complete as described.
109			Prices on application.
110			Prices on application.
111			Prices on application.
112	C.961.	6 10 0	
	C.964.	1 10 0	Chimney pot.
	C.968.	2 16 0	Small size.
		5 10 0	Large size.